

피삭재 규격 대비표



ISO	국가별								
	한국	일본	미국	독일	프랑스	이탈리아	스웨덴	스페인	영국
	표준 규격명								
	KS	JIS	AISI/SAE	DIN	AFNOR	UNI	SS	UNF	BS
P	구조용강 및 건설용강								
	-	-	1015	C15	CC12	C15C16	1350	F.111	080M15
	SM15C	S15C	1015	Ck15	XC12	C16	1370	C15K	080M15
	-	-	1020	C22	CC20	C20C21	1450	F.112	050A20
	SM25C	S25C	1025	Ck25	-	-	-	-	-
	-	-	1035	C35	CC35	C35	1550	F.113	060A35
	SM35C	S35C	1035	Cf35	XC38TS	C36	1572	-	060A35
	-	-	1039	40Mn4	35M5	-	-	-	150M36
	SM45C	S45C	1045	Ck45	XC42	C45	1672	C45K	080M46
	-	-	1045	C45	CC45	C45	1650	F.114	080M46
	SM50C	S50C	1050	Cf53	XC48TS	C53	1674	-	060A52
	-	-	1055	C55	-	C55	1655	-	070M55
	SM55C	S55C	1055	Ck55	XC55	C50	-	C55K	070M55
	SM58C	S58C	1060	Ck60	XC60	C60	1678	-	080A62
	-	-	1060	C60	CC55	C60	-	-	080A62
	-	-	1140	35S20	35MF4	-	1957	F210G	212M36
	SUM22	SUM22	1213	9SMn28	S250	CF9SMn28	1912	11SMn28	230M07
	-	-	-	10SPb20	10Pb20	CF10SPb20	-	10SPb20	-
	-	-	1215	9SMn36	S300	CF9SMn36	-	12SMn35	230M07
	SMn438(H)	SMn438(H)	1335	36Mn5	40M5	-	2120	36Mn5	-
	SCMn1	SCMn1	1330	28Mn6	20M5	C28Mn	-	-	150M28
	-	-	2515	12Ni19	Z18N5	-	-	-	-
	SNC236	SNC236	3135	36NiCr6	35NC6	-	-	-	640A35
	SNC415	SNC415(H)	3415	14NiCr10	14NC11	16NiCr11	-	15NiCr11	-
	SNC815	SNC815(H)	3310;3415	14NiCr14	12NC15	-	-	-	655M13;
	-	-	3310;3415	-	-	-	-	-	655A12
	SCM420;SCM430	SCM420;SCM430	4130	25CrMo4	25CD4	25CrMo4(KB)	2225	55Cr3	1717CDS110
	-	-	-	-	-	-	-	AM26CrMo4	-
	SCM432;SCCRM3	SCM432;SCCRM3	4137;4135	34CrMo4	35CD4	35CrMo4	2234	34CrMo4	708A37
	SCM440	SCM440	4140;4142	41CrMo4	42CD4TS	41CrMo4	2244	42CrMo4	708M40
	SCM440	SCM440(H)	4140	42CrMo4	42CD4	42CrMo4	2244	42CrMo4	708M40
	SCM415	SCM415(H)	-	15CrMo5	12CD4	-	2216	12CrMo4	-
	-	-	4340	35CrNiMo6	35NCD6	35NiCrMo6(KB)	2541	-	817M40
	-	-	-	17CrNiMo6	18NCD6	-	-	14NiCrMo13	820A16
	-	-	-	14NiCrMo134	-	15NiCrMo13	-	14NiCrMo131	832M13
	-	-	4520	16Mo5	-	16Mo5	-	16Mo5	1503-245-420
	SCMnH1	SCMnH/1	-	G-X120Mn12	Z120M12	XG120Mn12	-	X120Mn12	Z120M12
	SCr415	SCr415(H)	5015	15Cr3	12C3	-	-	-	523M15
	-	-	5115	16MnCr5	16MC5	16MnCr5	2511	16MnCr5	(527M20)
	SCr430	SCr430(H)	5132	34Cr4	32C4	34Cr4(KB)	-	35Cr4	530A32
	SCr440	SCr440(H)	5140	41Cr4	42C4	41Cr4	-	42Cr4	530M40
	-	SCr440	5140	42Cr4	-	-	2245	42Cr4	-
	SPS9	SUP9(A)	5155	55Cr3	55C3	-	-	-	527A60
	SPS6	SUP10	6150	50CrV4	50CA4	50CrV4	2230	51CrV4	735A50
	-	-	-	41CrAlMo7	40CAD6,12	41CrAlMo7	2940	41CrAlMo7	905M39
	-	-	-	39CrMoV13 9	-	36CrMoV12	-	-	897M39
	SNCM220	SNCM220(H)	8620	21NiCrMo22	20NCD2	20NiCrMo2	2506	20NiCrMo2	805M20
	SNCM240	SNCM240	8740	40NiCrMo22	-	40NiCrMo2(KB)	-	40NiCrMo2	311-Type 7
	-	-	9255	55Si7	55S7	55Si8	2085	56Si7	250A53
	-	-	9262	60SiCr7	60SC7	60SiCr8	-	60SiCr8	-
	-	-	9840	36CrNiMo4	40NCD3	38NiCrMo4(KB)	-	35NiCrMo4	816M40
	SU2	SU2	52100	100Cr6	100C6	100Cr6	2258	F.131	534A99
	SUM22L	SUM22L	12L13	9SMnPb28	S250Pb	CF9SMnPb28	1914	11SMnPb28	-
	-	-	12L14	9SMnPb36	S300Pb	CF9SMnPb36	1926	12SMnP35	-
	-	-	ASTM A182	13CrMo4 4	15CD3.5	14CrMo4 5	-	14CrMo45	1501-620Gr27
	-	-	ASTM A182	10CrMo9 10	12CD9,10	12CrMo9,10	2218	TU.H	1501-622
	-	-	ASTM A204Gr.A	15Mo3	15D3	16Mo3KW	2912	16Mo3	1501-240
	-	-	ASTM A350LF5	14Ni6	16N6	14Ni6	-	15Ni6	-
	-	-	ASTM A353	X8Ni9	-	X10Ni9	-	XBNi09	1501-509;510
	-	-	F11;F12	-	15CD4.5	-	-	-	-
	-	-	-	32CrMo12	30CD12	32CrMo12	2240	F124.A	722M24
	-	-	F22	-	-	-	-	-	Gr.31;45
	-	-	-	14MoV6 3	-	-	-	13MoCrv6	1503-660-440



F

회사소개

목 차

색 인

홈페이지

도움말

피삭재 규격 대비표



ISO	국가별								
	한국	일본	미국	독일	프랑스	이탈리아	스웨덴	스페인	영국
	표준 규격명								
	KS	JIS	AISI/SAE	DIN	AFNOR	UNI	SS	UNF	BS
P	단조공구강								
	STS12	SKD12	A2	X100CrMoV5 1	Z100CDV5	X100CrMoV51KU	2260	X100CrMoV5	BA2
	STD1	SKD1	D3	X210Cr12	Z200C12	X210Cr13KU	-	X210Cr12	BD3
	-	-	-	-	-	X250Cr12KU	-	-	-
	STD61	SKD61	H13	X40CrMoV5 1	Z40CDV5	X35CrMoV05KU	2242	X40CrMoV5	BH13
	-	-	-	-	-	X40CrMoV511KU	-	-	-
	-	SKD5	H21	X30WCrV9 3	Z30WCV9	X28W09KU	-	X30WCrV9	BH21
	-	-	-	X30WCrV93KU	-	X30WCrV9	-	-	-
	STS31	SKS31	-	105WCr6	105WC13	3KU	2140	105WCr5	-
	-	SUH1	HW3	X45GrSi93	Z45CS9	10WCr6	-	F322	401S45
	-	-	L3	100Cr6	Y100C6	X45GrSi8	-	100Cr6	BL3
	STF4	SKT4	L6	55NiCrMoV6	55NCDV7	-	-	F.520.S	-
	STS43	SKS43	W210	100VI	Y105V	-	-	-	BW2
	-	-	-	-	-	-	-	-	-
	SKH55	SKH55	-	S 6-5-2-5	Z85WDKCV	-	2723	HS6-5-2-5	-
	-	-	-	-	06-05-05-04-02	HS6-5-2-5	-	-	-
	SKH3	SKH3	T4	S 18-1-2-5	Z80WKCV	X78WCo1805KU	-	HS18-1-1-5	BT4
	-	-	-	-	18-05-04-01	-	-	-	-
	SKH51	SKH9	M2	S 6-5-2	Z85WDCV	X82WMo0605KU	2722	HS6-5-2	BM2
	-	-	-	-	06-05-04-02	-	-	-	-
	-	-	M7	S 2-9-2	Z100WCWV	HS 2-9-2	2782	HS2-9-2	-
	-	-	-	-	09-04-02-02	-	-	-	-
	SKH2	SKH2	T1	S 18-0-1	Z08WCV	X75W18KU	-	HS18-0-1	BT1
	-	-	-	-	18-04-01	-	-	-	-
	-	SKS2,SKS3	-	-	-	107WCr5KU	-	-	-
	-	SKD2	-	X210CrW12	-	X215CrW12 1KU	2312	X210CrW12	-
	-	-	S1	45WCrV7	-	45WCrV8KU	2710	45WCrSi8	BS1
	-	-	-	X165CrMo,V 12	-	X165CrMoW12KU	2310	X160CrMoV12	-
M	스테인리스강 및 내열합금								
	STR31	SUH1	HW3	X45CrSi93	Z45CS9	X45CrSi8	-	F322	401S45
	-	-	17-7PH	Z8CNA17-07	X2CrNiMo1712	-	-	-	316S111
	STS301	SUS301	301	X12CrNi17 7	Z12CN17.07	X12CrNi17 07	2331	F.3517	-
	STS303	SUS303	303	X12CrNiSi18 8	Z10CNF18.09	X10CrNiSi 18.09	2346	F.3508	303S21
	-	SUS304	304	X5CrNi189	Z6CN18.09	X5CrNi18 0	2332/2333	F.3551	304S31
	-	-	-	-	-	-	-	F.3541,F.350	-
	STS304	SUS304	304	X5CrNi189	Z6CN18.09	X5CrNi18 10	2332	F.3551	304S15
	STS304L	SUS304L	-	-	Z3CN19.10	-	2333	-	304C12
	-	-	304L	-	Z2CN18-10	X2CrNi18 11	2352	-	304S11
	SSC19	SCS19	304L	X2CrNi18 9	Z2CrNi18 10	X2CrNi18 11	2352	F.3503	304S12
	STS304LN	SUS304LN	304LN	X2CrNiN,1810	Z2CN18.10	-	2371	-	304S62
	STR309	SUH309	309	X15CrNiSi	Z15CNS20.12	-	-	-	309S24
	-	-	-	20 12	-	-	-	-	-
	STR310	SUH310	310S	X12CrNi25 21	Z12CN25 20	X6CrNi25 20	2361	F.331	310S24
	STS316	SUS316	316	X5CrNiMo,1810	Z6CND17.11	X5CrNiMo17 12	2347	F.3543	316S16
	STS316LN	SUS316LN	316LN	X2CrNiMoN	Z2CND17.13	-	2375	-	-
	-	-	-	18 13	-	-	-	-	-
	-	-	316L	-	Z2CND17-12	X2CrNiMo17 12	2348	-	316S13
	SSC16	SCS16	316L	X2CrNiMo	Z2CND17.12	X2CrNiMo17 12	2353	-	316S13
	STS316L	SUS316L	-	18 12	-	-	-	-	-
	-	-	316	-	Z6CND18-12-03	X8CrNiMo17 13	2343/2347	-	316S33
	-	-	316Ti	X10NiMoTi	Z6NDT17.12	X6CrNiMoTi17 12	2350	F.3535	320S17
	-	-	-	18 10	-	17 12	-	-	-
	STS317L	SUS317L	317L	X2CrNiMo	Z2CND19.15	X2CrNiMo18 16	2367	-	317S12
	-	-	-	18 16	-	-	-	-	-
	-	-	318	X10CrNi	Z6CNDNb	X6CrNiMoNb	-	-	-
	-	-	-	MoNb 18 12	17 13B	-	-	17 13	-
	-	-	S31500	X2CrNiMoSi	-	-	-	-	-
	-	-	-	19 5	-	-	-	-	-
	-	-	S32900	X8CrNiMo,27 5	-	-	2324	-	-
	-	-	S32304	X2CrNiN,23 4	Z2CN23-04AZ	-	2327	-	-
	-	-	-	-	-	-	2328	-	-
	-	-	S31803	X2CrNiMoN	Z2CND22-0503	-	2377	-	-
	-	-	-	22 53	-	-	-	-	-
	STS321	SUS321	320	X10CrNiTi	Z6CNT18.10	X6CrNiTi18 11	2337	F.3553	321S12

회사소개

목 차

색 인

홈페이지

도움말

피삭재 규격 대비표



ISO	국가별								
	한국	일본	미국	독일	프랑스	이탈리아	스웨덴	스페인	영국
	표준 규격명								
	KS	JIS	AISI/SAE	DIN	AFNOR	UNI	SS	UNF	BS
M	스테인리스강 및 내열합금								
	-	-	-	18 9	-	-	-	F.3523	-
	STS347	SUS347	347	X10CrNiNb	Z6CNNb18.10	X6CrNiNb18 11	2338	F.3552	347S17
	STS403	SUS403	403	X7Cr13	Z6C13	X6Cr13	2301	F.3110	403S17
	-	-	405	-	Z8CA12	X6CrAl13	-	-	405S17
	-	-	-	X7Cr14	-	-	-	F.8401	-
	STS405	SUS405	405	X10CrA113	Z10C13	X10CrA112	-	F.311	403S17
	STS410	SUS410	410	X10Cr13	Z10C14	X12Cr13	2302	F.3401	410S21
	STS420J2	SUS420J2	-	X46Cr13	Z40CM	X40Cr14	2304	F.3405	420S45
	-	-	-	-	Z38C13M	-	-	-	-
	-	-	420	-	Z20C13	X20Cr13	2303	-	420S37
	SSC5	SCS5	-	X5CrNi13 4	Z4CND13.4M	-	-	-	425C11
	STS430	SUS430	430	X8Cr17	Z8C17	X8Cr17	2320	F.3113	430S15
	STS430	SUS430	430	X8Cr17	Z8C17	X8Cr17	2320	F.3113	430S17
	STS430	SUS430	430	X10CrA118	Z10CAS18	X8Cr17	-	F.3113	430S15
	STS430F	SUS430F	430F	X12CrMoS17	Z10CF17	X10CrS17	2383	F.3117	-
	STS431	SUS431	431	X22CrNi17	Z15CNI6.02	X16CrNi16	2321	F.3427	431S29
	STS434	SUS434	434	X6CrMo17	Z8CD17.01	X8CrMo17	2325	-	434S17
	STR446	SUH446	446	X10CrA124	Z10CAS24	X16Cr26	2322	-	-
	-	-	630	-	Z7CNU17-04	-	-	-	-
	-	-	-	18 9	-	-	-	F.3524	-
	STR35, STR36	SUH35,SUH36	EV8	X53CrMnNiN	Z52CMN21.09	X53CrMnNiN	-	-	349S54
	-	-	-	21 9	-	21 9	-	-	-
	STR4	SUH4	HNW6	X80CrNiSi20	Z80CSN20.02	X80CrSiNi20	-	F.320B	443S65
	-	-	NO8028	-	Z1NCDU31027-03	-	2584	-	-
	-	-	S31254	-	Z1CNDU20-18-06AZ	-	2378	-	-
	STR330	SUH330	330	X12NiCrSi	Z12NCS35.16	-	-	-	-
	-	-	-	36 16	-	-	-	-	-
	HRSC15	SCH15	-	G-X40NiCrSi	-	XG50NiCr	-	-	330C11
	-	-	-	38 18	-	39 19	-	-	-
	-	-	4676	NiCu30Al	-	-	-	-	3072-76
	-	-	-	NiCr20TiAl	NC20TA	-	-	-	Hr401,601
	-	-	5390A	-	NC22FeD	-	-	-	-
	-	-	5666	NiCr22Mo9Nb	NC22FeDNB	-	-	-	-
	-	-	-	NiCr20Ti	NC20T	-	-	-	HR5,203-4
	-	-	5660	NiFe35Cr14MoTi	ZSNCDT42	-	-	-	-
	-	-	5391	S-NiCr13A16MoNb	NC12D	-	-	-	3146-3
	-	-	5383	NiCr19Fe19NbMo	NC19eNB	-	-	-	HR8
	-	-	5537C	CoCr20W15Ni	KC20WN	-	-	-	-
	-	-	AMS5399	NiCr19Co11MoTi	NC19KDT	-	-	-	-
	-	-	AMS5544	NiCr19Fe19NbMo	NC20K14	-	-	-	-
	-	-	AMS5397	NiCo15Cr10MoAlTi	-	-	-	-	-
	-	-	AMS5772	CoCr22W14Ni	KC22WN	-	-	-	-
	-	-	AMS R54520	TiAl5Sn2.5	T-A5E	-	-	-	TA14/17
	-	-	AMS R56400	TiAl6V4	T-A6V	-	-	-	TA10-13/TA28
	-	-	AMS R56401	TiAl6V4ELI	-	-	-	-	TA11
	-	-	-	TiAl4Mo4Sn4Si0.5	-	-	-	-	-
K	회주철								
	-	-	-	-	-	-	ASTM	-	-
	-	-	-	-	-	-	A48-76	-	-
	-	-	-	-	-	-	01 00	-	-
	GC 100	FC 100	No 20 B	GG 10	Ft 10 D	G 10	01 10	-	-
	GC 150	FC 150	No 25 B	GG 15	Ft 15 D	G 14	01 15	-	Grade 150
	GC 200	FC 200	No 30 B	GG 20	Ft 20 D	G 20	01 20	-	Grade 220
	GC 250	FC 250	No 35 B	GG 25	Ft 25 D	G 25	01 25	-	Grade 260
	-	-	No 40 B	-	-	-	-	-	-
	GC 300	FC 300	No 45 B	GG 30	Ft 30 D	G 30	01 30	-	Grade 300
	GC 350	FC 350	No 50 B	GG 35	Ft 35 D	G35	01 35	-	Grade 350
	-	-	No 55 B	GG 40	Ft 40 D	-	01 40	-	Grade 400

TaeguTec

회사소개


목 차

색 인

홈페이지

도움말

ISO	국가별								
	한국	일본	미국	독일	프랑스	이탈리아	스웨덴	스페인	영국
	표준 규격명								
	KS	JIS	AISI/SAE	DIN	AFNOR	UNI	SS	UNF	BS
K	구상흑연 (덕타일) 주철								
	-	-	A536-72	-	NF A32-201	-	-	-	2789;1973
	GCD 400	FCD 400	60-40-18	GGG 40	FCS 400-12	GS400-12	07 17-02	-	SNG 420/12
	-	-	-	GGG 40.3	FGS 370-17	GS42/15	07 17-12	-	SNG 370/17
	-	-	-	GGG 35.3	-	-	07 17-15	-	-
	GCD 500	FCD 500	80-55-06	GGG 50	FGS 500-7	GS500/7	07 27-02	-	SNG 500/7
	GCD 600	FCD 600	-	GGG 60	FGS 600-3	GS600/3	07 32-03	-	SNG 600/3
	GCD 700	FCD 700	100-70-03	GGG 70	FGS 700-2	GS700/2	07 37-01	-	SNG 700/2
	가단주철								
	-	-	-	-	-	-	ASTM	-	-
	-	-	-	-	-	-	A47-74	-	-
	-	-	-	-	-	-	A220-76 2	-	-
	-	-	-	-	MN 32-8	-	08 14	-	8 290/6
	-	-	32510	GTS-35	MN35-10	-	08 15	-	B 340/12
	-	-	40010	GTS-45	-	-	08 52	-	P 440/7
	-	-	50005	GTS-55	MP 50-5	-	08 54	-	P 510/4
	-	-	70003	GTS-65	MP 60-3	-	08 58	-	P570/3
	알루미늄 합금 (주조용 및 가공용)								
	-	-	356.1	-	-	-	4244	-	LM25
	-	-	A413.0	GD-AlSi12	-	-	4247	-	-
	-	-	A380.1	GD-AlSi8Cu3	-	-	4250	-	LM24
	-	-	A413.1	G-AlSi12(Cu)	-	-	4260	-	LM20
	-	-	A413.2	G-AlSi12	-	-	4261	-	LM6
	-	-	A360.2	G-AlSi10Mg(Cu)	-	-	4253	-	LM9



회사소개

목 차

색 인

홈페이지

도움말