



---

## Restful API Method

### Bulletins

Method: /bulletins

Description: Post member bulletins

REST format: /bulletins

Parameters: {Stream} – [uri] – Stream of text to post

Example: <http://api.myspace.com/bulletins>

Results: Posted member bulletins

### Current User

Method: /currentuser

Description: Show current member

REST format: /currentuser

Parameters: {Stream} – [uri] – Stream of text to post

Example: <http://api.myspace.com/currentuser>

Results: Current member

## Friendship

Method: /users/{userID}/friends/{friendsID}

Description: Indicates whether the specified member is a friend of a group of friends

REST format: /users/{userID}/friends/{friendsID}

Parameters: {Stream} – [uri]

Example: <http://api.myspace.com/users/1/friends/2;3;4>

Results: Boolean indicator to show whether specified member is a friend of a group of friends

## User

Method: /users/{userID}

Description: Retrieve information for specific member identified by parameter userID

REST format: /users/{userID}

Parameters: {Stream} – [uri]

Example : <http://api.myspace.com/26000814>

Results: Returns information for the member identified by parameter userID

## Profile

Method: /users/{userID}/profile

Description: Retrieve the profile of the for a specific member as identified by userID

REST format: /users/{userID}/profile

Parameters: {Stream} – [uri]

Example: <http://api.myspace.com/users/26000814/profile>

Results: Returns profile information for the userID referenced above

## FriendPageSize

Method: / users/{userID}/friends?page=x&page\_size=x

Description: Retrieve the friend's list of the specified member

REST format: /users/{userID}/friends?page=x&page\_size=x

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/friends>

Results: List of friends of member identified by userID

## TopFriends

Method: / users/{userID}/topfriends

Description: Retrieve the list of top friends of the member identified by userID

REST format: /users/{userID}/friends?page=x&page\_size=x

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/topfriends>

Results: Retrieve the top friends of member identified by parameter userID

## AlbumID

Method: / users/{userID}/albums/{albumID}

Description: Retrieve the album image for a specific album ID

REST format: / users/{userID}/albums/{albumID}

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/albums/123>

Results: Retrieve the album image of member identified by parameter userID

## Photos

Method: / users/{userID}/photos

Description: Retrieve the photos for a specific userID

REST format: / users/{userID}/photos

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/photos>

Results: Retrieve the photos of member identified by parameter userID

## Interests

Method: /users/{userID}/interests

Description: Retrieve the interests of a member identified by the parameter userID

REST format: /users/{userID}/interests

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/interests>

Results: Retrieve the interests of member identified by parameter userID

## Details

Method: /users/{userID}/details

Description: Retrieve the details of the member identified by the parameter userID

REST format: /users/{userID}/details

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/details>

Results: Retrieve the details for the member identified by userID

## Videos

Method: /users/{userID}/videos

Description: Retrieve the videos of member identified by parameter userID

REST format: /users/{userID}/videos

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/videos>

Results: Retrieve image links of member identified by parameter userID

## Videoid

Method: /users/{userID}/videoid

Description: Retrieve the videos for a specific user by videoid

REST format: /users/{userID}/videos/videoid

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/videos/123>

Results: List of videos referenced by videoid parameter above

## Groups

Method: /users/{userID}/groups

Description: Retrieve the groups list for the specified member

REST format: /users/{userID}/groups

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/groups>

Results: Retrieve the groups that the specified member belongs to

## Status

Method: /users/{userID}/status

Description: Retrieve the current status of the member identified by userID

REST format: /users/{userID}/status

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/status>

Results: Retrieve the status of member identified by parameter userID

## Mood

Method: /users/{userID}/mood

Description: Retrieve the current mood of the member identified by userID

REST format: /users/{userID}/mood

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/mood>

Results: Retrieve the current mood of member identified by parameter userID



## Comments

Method: /users/{userID}/comments

Description: Retrieve the comments about the member identified by parameter userID

REST format: /users/{userID}/comments

Parameters: {Stream} – [uri]

Example <http://api.myspace.com/users/26000814/comments>

Results: Retrieve comments about member identified by parameter userID