

찾아보기

※ 독자들의 편의를 위해 이 찾아보기를 파일로 제공합니다(www.jpub.kr)
 ※ 원서 찾아보기와 이에 대응하는 한글 찾아보기를 나란히 제공하여
 보다 정확한 의미를 파악할 수 있도록 하였습니다.

원서

A	AAPT. See Android Asset Packaging Tool
	accelerometers
	accept
	acceptMatch
	ACCESS_COARSE_LOCATION
	accuracy
	acquire
	action
	ACTION_ANSWER
	ACTION_BOOT_COMPLETED
	ACTION_CALL
	ACTION_CAMERA_BUTTON
	ACTION_DATE_CHANGED
	ACTION_DELETE
	ACTION_DIAL
	ACTION_DISCOVERY_FINISHED
	ACTION_DISCOVERY_STARTED
	ACTION_DOWN
	ACTION_EDIT
	ACTION_FOUND
	ACTION_IMAGE_CAPTURE
	ACTION_INSERT
	ACTION_MEDIA_BUTTON
	ACTION_MEDIA_EJECT
	ACTION_MEDIA_MOUNTED
	ACTION_MEDIA_UNMOUNTED
	ACTION_MOVE
	ACTION_NEW_OUTGOING_CALL
	ACTION_PICK
	ACTION_REQUEST_DISCOVERABLE
	ACTION_SCAN_MODE_CHANGED
	ACTION_SCREEN_OFF
	ACTION_SCREEN_ON
	ACTION_SEARCH
	ACTION_SEND
	ACTION_SENDTO
	ACTION_STATE_CHANGED
	ACTION_TIME_CHANGED
	ACTION_TIMEZONE_CHANGED
	ACTION_UP
	ACTION_VIDEO_CAPTURE

번역서

AAPT. 안드로이드 자산 패키징 도구 참조	
가속도계, 가속도 센서	9, 624, 628, 629–633
accept	593
acceptMatch	220
ACCESS_COARSE_LOCATION	546
accuracy	626
acquire	654
action	203
ACTION_ANSWER	201
ACTION_BOOT_COMPLETED	226
ACTION_CALL	201
ACTION_CAMERA_BUTTON	226
ACTION_DATE_CHANGED	226
ACTION_DELETE	202
ACTION_DIAL	202
ACTION_DISCOVERY_FINISHED	590
ACTION_DISCOVERY_STARTED	590
ACTION_DOWN	714
ACTION_EDIT	202
ACTION_FOUND	595
ACTION_IMAGE_CAPTURE	518
ACTION_INSERT	202
ACTION_MEDIA_BUTTON	226
ACTION_MEDIA_EJECT	226
ACTION_MEDIA_MOUNTED	226
ACTION_MEDIA_UNMOUNTED	226
ACTION_MOVE	711
ACTION_NEW_OUTGOING_CALL	226
ACTION_PICK	202, 208
ACTION_REQUEST_DISCOVERABLE	588, 593
ACTION_SCAN_MODE_CHANGED	589
ACTION_SCREEN_OFF	226
ACTION_SCREEN_ON	226
ACTION_SEARCH	202
ACTION_SEND	202, 550
ACTION_SENDTO	202, 550
ACTION_STATE_CHANGED	585
ACTION_TIME_CHANGED	226
ACTION_TIMEZONE_CHANGED	227
ACTION_UP	714
ACTION_VIDEO_CAPTURE	512



ACTION_VIEW	
ACTION_WEB_SEARCH	
active lifetime	
active processes	
active state	
Activities	
active lifetime	
classes	
dialogs	
explicit Intent	
full lifetime	
implicit Intents	
Intents	
life cycle	
Live Folders	
menus	
permissions	
saving and restoring	
Services	
stacks	
states	
visible lifetime	
Widgets	
Activity	
onCreate	
activity	
<activity>	
Activity Intents	
Activity is not responding	
Activity Manager	
activityCreator	
Activity.getPreferences()	
Activity.RESULT_CANCELED	
Activity.RESULT_OK	
Adapters	
AdapterView	
ADB. See Android Debug Bridge	
addIntentOptions	
addNetwork	
add_new	
address	
addSubMenu	
addView	
MapView	
ADT. See Android Developer Tool	
AIDL. See Android Interface Definition Language	
.aidl	
Alarm	

ACTION_VIEW	202
ACTION_WEB_SEARCH	203
액티비티 수명	116
활성 프로세스	84
활성 상태	113
액티비티	71-120, 123
활성 수명	118
클래스	119
다이얼로그	242-243
명시적 인텐트	196
전체 수명	116
암시적 인텐트	196-197
인텐트	194-208
수명 주기	111-118
라이브 폴더	481
메뉴	174-176
권한	651
저장 및 복원	283-284
서비스	412-414
스택	112
상태	112-116
가시 수명	117
위젯	471-472
Activity	35, 72, 108-119
onCreate	37
activity	78
<activity>	78, 110
액티비티 인텐트	201
액티비티가 응답하지 않습니다	52
액티비티 매니저	23, 52
activityCreator	63
Activity.getPreferences()	282
Activity.RESULT_CANCELED	199-200
Activity.RESULT_OK	199-200, 201
어댑터	228-236
AdapterView	188, 230
ADB. 안드로이드 디버그 브리지 참조	
addIntentOptions	215
addNetwork	620
add_new	100
address	550
addSubMenu	179
addView	128
MapView	385
ADT. 안드로이드 개발자 도구 참조	
AIDL. 안드로이드 인터페이스 정의 언어 참조	
.aidl 662	
Alarm	576

Alarm Manager	알람 매니저	446
AlarmManager	AlarmManager	444
Alarms	알람	396, 443-450
repeating	반복	446-447
Widgets	위젯	467-471
Alert Dialog	경고 다이얼로그	241-242
AlertDialog	AlertDialog	240, 241-242
ALL	ALL	218
alpha	alpha	92-93
ALTERNATIVE	ALTERNATIVE	203, 215
Amazon Web Services	아마존 웹 서비스	665
AnalogClock	AnalogClock	458
?android:	?android:	99
Android Asset Packaging Tool(AAPT)	안드로이드 자산 패키징 도구(AAPT)	62
Android Debug Bridge(ADB)	안드로이드 디버그 브리지(ADB)	62, 67-68
SMS	SMS	554
Android Developer Tool(ADT)	안드로이드 개발자 도구(ADT)	28
Android Emulator. See Emulator	안드로이드 에뮬레이터. 에뮬레이터 참조	
Android Interface Definition Language(AIDL)	안드로이드 인터페이스 정의 언어(AIDL)	658-665
IPC	IPC	662-665
Services	Services	661-662
Android Open Source Project(AOSP)	안드로이드 오픈 소스 프로젝트(AOSP)	7
Android Project Wizard	안드로이드 프로젝트 마법사	29
Android Virtual Device Manager	안드로이드 가상 장치 매니저	18, 20
Android Virtual Devices(AVD)	안드로이드 가상 장치(AVD)	62, 63-65
android:apikey	android:apikey	369, 387
android:app.searchable	android:app.searchable	488
android:autoLink	android:autoLink	219
android:configChanges	android:configChanges	105
android:defaultValue	android:defaultValue	275
android:host	android:host	204
android:ID	android:ID	349
android:key	android:key	275
android:label	android:label	213
android:mimeType	android:mimeType	204
android:name	android:name	78, 203
android.net.*	android.net.*	238
android:path	android:path	205
android:permission	android:permission	79
android:port	android:port	205
android.provider.Settings	android.provider.Settings	277, 331
android.provider.Telephony.SMS_RECEIVED	android.provider.Telephony.SMS_RECEIVED	555, 557
android:scheme	android:scheme	205
android.settings.*	android.settings.*	277
android:summary	android:summary	275
android.telephony.gsm	android.telephony.gsm	551
android:title	android:title	275
AnimationDrawable	AnimationDrawable	680



(animation-list)	(animation-list)	681
AnimationListener	AnimationListener	670
AnimationResources	AnimationResources	97
animations	animations	92-93
UI	UI	666-702
anonymous actions	익명 액션	
applications	애플리케이션	216-217
Menu Item	메뉴 아이템	216-217
anti-aliasing	엔터 앨리어싱	690
ANTI_ALIASING_FLAG	ANTI_ALIASING_FLAG	690
anyDensity	anyDensity	77
AOSP. See Android Open Source Project	AOSP. 안드로이드 오픈 소스 프로젝트 참조	
API key	API 키	363-366
.apk	.apk	30, 37, 62
App Engine	앱 엔진	665
App Widget(s)	앱 위젯(들)	455-472
EditText	EditText	457
IntentReceivers	브로드캐스트 리시버	455
Remote Views	리모트 뷰	460
RemoteViews	RemoteViews	455
Selection State Drawable	상태 리스트 드로어블	466
XML	XML	458-459
App Widget Provider	앱 위젯 프로바이더	460
AppHost	앱 위젯 호스트	454
Apple iPhone	애플 아이폰	4
Application	Application	105-108
application	application	78, 224
(service)	(service)	401
uses-library	uses-library	364
(uses-permission)	(uses-permission)	369
(application)	(application)	78, 488
application(s)	애플리케이션(들)	71-120
anonymous actions	익명 액션	216-217
framework	프레임워크	20
layer	계층	20
life cycle	수명 주기	83
priority	우선순위	83-85
process states	프로세스 상태	83-85
Application Attributes	애플리케이션 속성	81
application manifest	애플리케이션 매니페스트	74-81
Application Nodes	애플리케이션 노드	81
APPWIDGET_CONFIGURE	APPWIDGET_CONFIGURE	471
AppWidgetProvider	AppWidgetProvider	460
appwidget-provider	appwidget-provider	459
AppWidgets	AppWidgets	455-479
Array Adapter	배열 어댑터	229-231, 266
Array List	배열 리스트	534
ArrayAdapter	ArrayAdapter	186, 228-230, 247

- ListView
- ArrayAdapters
- ArrayList
- aspect ratio
- asynchronous tasks
- AsyncTask
- AT_MOST
- audio
 - playback
 - recording
- Audio Track
 - play
- AudioRecord
- AudioTrack
- auto focus, Camera
- AutoFocusCallback
- autolink
- AutoResponder
- Available Packages
- AVD. See Android Virtual Devices
- AvoidXfermode

B

- background applications
- background services
- background threads
 - Force Close error
- bandwidth
- bindService
- Bitmap
- Bitmap Shader
- bitmaps
- BitmapShader
- Bluetooth
 - communications
 - discovery
 - security
- BLUETOOTH
- Bluetooth Adapter
 - getBondedDevices
- Bluetooth Device
 - Broadcast Receivers
 - onItemClickListener
- Bluetooth Server Socket
- Bluetooth Sockets
- BluetoothAdapter
- BluetoothDevice
- BluetoothDevice.EXTRA_NAME

- ListView 58
- ArrayAdapter 55
- ArrayList 59, 247
- 종횡비 166
- 비동기 작업 416-418
- AsyncTask 396, 416, 418-418
- AT_MOST 144
- 오디오 502-517
 - 재생 504-506
 - 레코딩 511-517
- 오디오 트랙 531-532
 - 재생 531
- AudioRecord 529-532
- AudioTrack 502, 531-532
- 자동 포커스, 카메라 522
- AutoFocusCallback 522
- autolink 255
- AutoResponder 570-579
- Available Packages 65
- AVD, 안드로이드 가상 장치 참조
- AvoidXfermode 690

- 백그라운드 애플리케이션 41-42
- 백그라운드 서비스 10-11, 16, 85
- 백그라운드 스레드 416-422
 - 강제 종료 예러 416
- 대역폭 237
- bindService 413
- Bitmap 682
- 비트맵 셰이더 685
- 비트맵 91
- BitmapShader 685
- 블루투스 9, 582-611
 - 통신 591-599
 - 검색 589-591
 - 보안 52
- BLUETOOTH 583
- 블루투스 어댑터 582-583
 - getBondedDevices 595
- 블루투스 장치 594-596
 - 브로드캐스트 리시버 605
 - onItemClickListener 605
- 블루투스 서버 소켓 592-594
- 블루투스 소켓 582, 592, 598
- BluetoothAdapter 582-583, 587
- BluetoothDevice 582, 590-591, 594-599
- BluetoothDevice.EXTRA_NAME 590



- BluetoothServerSocket
- BluetoothSocket
- BluetoothSocketListener
- BlurMaskFilter
- Broadcast Receivers
 - Bluetooth Device
 - Connectivity Manager
 - Intent
 - permissions
 - proximity alerts
 - SMS
 - text messages
- BroadcastReceiver
- BROADCAST_STICKY
- BROWSABLE
- Browser
- BSSID
- BSSID
- bulkInsert
- Bundle
- Bundle
- Button
 - TextView

- BluetoothServerSocket 582, 592
- BluetoothSocket 582, 592
- BluetoothSocketListener 609, 610
- BlurMaskFilter 687
- 브로드캐스트 리시버 73, 118
 - 블루투스 장치 605
 - 연결 매니저 614
 - 인텐트 221–227
 - 권한 651
 - 근접 정보 355
 - SMS 555, 569
 - 텍스트 메시지 554
- BroadcastReceiver 356, 576
- BROADCAST_STICKY 225
- BROWSABLE 204
- Browser 331
- BSSID 620
- BSSID 620
- bulkInsert 318–319
- 번들 260, 283
- Bundle 260
- Button 126, 458
 - TextView 130

C

- C
- C++
- cache
- calculateHeight
- calculateOrientation
- calculateWidth
- CallLog
- CALL_PHONE
- Camera
 - auto focus
 - Intent
 - previewing
 - release
 - startActivityForResult
 - takePicture
- CAMERA
- Camera
- Camera Parameters
- Camera.Parameters
- cancel
- cancelAdd
- cancelDiscovery

- C 3
- C++ 3
- 캐시 47, 237
- measureHeight 144
- calculateOrientation 644
- measureWidth 144
- CallLog 331
- CALL_PHONE 540
- 카메라 517–526
 - 자동 포커스 522
 - 인텐트 518–519
 - 미리 보기 521–522
 - release 520
 - startActivityForResult 518
 - takePicture 524
- CAMERA 519
- Camera 520
- 카메라 매개변수 520
- Camera.Parameters 520
- cancel 100, 434
- cancelAdd 188
- cancelDiscovery 589

Canvas	Canvas	142, 374, 682
capacity limitations	제한된 저장 용량	45
category	category	203
CATEGORY_ALTERNATIVE	CATEGORY_ALTERNATIVE	216
CATEGORY_SELECTED_ALTERNATIVE	CATEGORY_SELECTED_ALTERNATIVE	216
CDMA	CDMA	541
CellLocation	CellLocation	546
centerX	centerX	159
centerY	centerY	159
CharacterPickerDialog	CharacterPickerDialog	242
CharSequence	CharSequence	658
CheckBox	CheckBox	126, 570
checkboxes	체크박스	176
CheckBoxPreference	CheckBoxPreference	276
child thread	자식 스레드	416
Chronometer	Chronometer	458
circlePaint	circlePaint	151
CLAMP	CLAMP	687
.class	.class	63
ClearableEditText	ClearableEditText	138-139
click listener	클릭 리스너	176-177, 466
cloud computing	클라우드 컴퓨팅	665
color	color	157
<color>	<color>	88-89, 156
Color Filters	색상 필터	688
ColorDrawable	ColorDrawable	156
ColorFilter	ColorFilter	688
ColorMatrixColorFilter	ColorMatrixColorFilter	688
colors	색상	88-89
com.google.android.maps.MapView	com.google.android.maps.MapView	369
commit	commit	261
CommonDataKinds	CommonDataKinds	336
compass	나침반	9
Compass View	나침반 뷰	147-154
CompassView	CompassView	151, 152-154, 641-646
onCreate	onCreate	644
Toasts	토스트	424
ComposePathEffect	ComposePathEffect	689
ComposeShader	ComposeShader	685
composite Drawables	복합 드로어블	160-164
compound controls	복합 컨트롤	136-139
condensed titles	간결한 제목	177
Configuration	Configuration	104
Configure	configure	459
configureBluetooth	configureBluetooth	602
connect	connect	599
Connectivity Manager	연결 매니저	611-615
ConnectivityManager	ConnectivityManager	611-615



ContactPicker	ContactPicker	208-214
Contacts	Contacts	334
ContactsContract	ContactsContract	333-338
ContactsContract	ContactsContract	331, 333
ContactsContract.Contacts.CONTENT_FILTER_URI	ContactsContract.Contacts.CONTENT_FILTER_URI	335
ContactsContract.Data	ContactsContract.Data	335
ContactsContract.PhoneLookup.CONTENT_FILTER_URI	ContactsContract.PhoneLookup.CONTENT_FILTER_URI	337
ContactsContract.StatusUpdates	ContactsContract.StatusUpdates	338
content://	content://	292
Content Providers	콘텐츠 프로바이더	12, 17, 23, 73, 291-339
Live Folders	라이브 폴더	479-480
Media Player	미디어 플레이어	504
native	네이티브	331-338
permissions	권한	651
(provider)	(provider)	327
search	검색	487-488
tables	테이블	300
Content Resolver	콘텐츠 리졸버	313, 316-320
Contact Contracts	ContactsContract	333
Content Values	콘텐츠 밸류	294
content://contacts/people	content://contacts/people	208
contentIntent	contentIntent	432
contentView	contentView	433
Pending Intent	팬딩 인텐트	432
ContentPickerTest	ContentPickerTest	212
ContentPickerTester	ContentPickerTester	212
ContentProvider	ContentProvider	313
ContentResolver	ContentResolver	322, 528
query	query	317
ContentSlider	ContentSlider	671
CONTENT_URI	CONTENT_URI	313, 317
Content_URI	Content_URI	333
ContentValues	ContentValues	294
Media Store	미디어 스토어	527
put	put	302
contentView	contentView	430, 433
Context Menus	컨텍스트 메뉴	180-182
ContextMenu	ContextMenu	180
ContextMenuInfo	ContextMenuInfo	188
Context.MODE_APPEND	Context.MODE_APPEND	287
Context.MODE_WORLD_READABLE	Context.MODE_WORLD_READABLE	288
Context.Mode_WORLD_WRITEABLE	Context.Mode_WORLD_WRITEABLE	288
controls	컨트롤	123
custom	커스텀	154
core libraries	코어 라이브러리	21
CornerPathEffect	CornerPathEffect	689
(corners)	(corners)	157-158
costs	비용	47-48

create, Media Player
 createItem
 CREATE_LIVE_FOLDER
 createRfcommSocketToServiceRecord
 Criteria
 Cursor
 databases
 CursorFactory
 Cursors
 moveTo(location)

D

Dalvik
 Dalvik Debug Monitoring Service(DDMS)
 DashPathEffect
 Data Data
 data data
 data authority
 data messages
 databases
 Cursor
 files
 query
 /data/data/(package_name)/databases
 DatePickerDialog
 DDMS. See Dalvik Debug Monitoring Service
 debuggable
 debugging
 DEFAULT
 Default Debug Keystore
 defaults
 delete
 Content Providers
 Content Resolvers
 SQLiteDatabase
 deleteFile
 deliveryIntent
 density independence
 .dex
 Dialog
 dialogs
 Activities
 <dimen>
 dimensions
 direction
 discovery, Bluetooth
 DiscretePathEffect
 divideMessage

create, 미디어 플레이어 504-506, 510
 createItem 383
 CREATE_LIVE_FOLDER 482
 createRfcommSocketToServiceRecord 594, 596
 Criteria 345
 Cursor 236, 301
 데이터베이스 300
 CursorFactory 298
 커서 294
 moveTo(위치) 301-302

Dalvik 18, 19
 Dalvik 디버그 모니터링 서비스(DDMS) 25, 30, 62, 67
 DashPathEffect 689
 334
 204
 데이터 인증기관 206
 데이터 메시지 555
 데이터베이스 291-339
 Cursor 300
 파일 300
 query 301-302
 /data/data/(package_name)/databases 292
 DatePickerDialog 243
 DDMS, Dalvik 디버그 모니터링 서비스 참조
 debuggable 78
 디버깅 37
 DEFAULT 204, 488
 Default Debug Keystore 363
 defaults 438
 delete
 콘텐츠 프로바이더 312
 콘텐츠 리졸버 317
 SQLiteDatabase 302
 deleteFile 289
 deliveryIntent 553, 554
 밀도 독립 164-170
 .dex 30, 37, 63
 Dialog 240-241
 다이얼로그 239-245
 액티비티 242-243
 <dimen> 89
 차수 89
 direction 548
 검색, 블루투스 589-591
 DiscretePathEffect 689
 divideMessage 554



dolnBackground	418
dp	89
draw	373
drawable	39
Drawables	91, 156-164
Drawables	142
drawArc	682
drawARGB/drawRGB/drawColor	682
drawBitmap	682
drawBitmapMesh	682
drawCircle	152, 683
drawLine(s)	683
drawOval	683
drawPaint	683
drawPath	683
drawPicture	683
drawPosText	683
drawRect	683
drawRoundRect	683
drawText	683
drawTextOnPath	683
drawVertices	683
Droid	드루이드 165
duration	93
Dx	63

E @echo	556
eclipse	29
Eclipse IDE	이클립스 IDE 19, 29-33, 343
EDGE	8
MediaScannerConnectionClient	527-528
EditText	58, 125, 186, 570
App Widget	앱 위젯 457
onKeyListener	60
EditTextPreference	276
EFFECT_*	521
efficiency	효율성 44
ELAPSED_REALTIME	444, 470
ELAPSED_REALTIME_WAKEUP	445
EMAIL_ADDRESSES	218
EmbossMaskFilter	687
Emergency Responder	558-580
automating	자동화하기 570-580
EmergencyResponder	559-579
empty processes	빈 프로세스 85
Emulator	에뮬레이터 19, 62, 66-67
LBS	LBS 343-344

SMS	SMS	556
speed	speed	48
vibrate	vibrate	440
endColor	endColor	158
enum	enum	676
EXACTLY	EXACTLY	144
Exchangeable Image File Format(EXIF)	Exchangeable Image File Format(EXIF)	525–526
execSQL	execSQL	299
execute	execute	417
AsyncTask	AsyncTask	418
EXIF. See Exchangeable Image File Format	EXIF, Exchangeable Image File Format 참조	
ExifInterface	ExifInterface	525–526
ExpandableListActivity	ExpandableListActivity	119
expanded menu	확장 메뉴	173
Experience, Google	Experience, 구글	457
explicit Intents	명시적 인텐트	196
extended status window	펼쳐진 상태 표시줄 윈도우	430–433
extensibility	확장성	214–218
externalizing resources	리소스 외부화하기	85–105
EXTRA_APPWIDGET_ID	EXTRA_APPWIDGET_ID	471
EXTRA_BCC	EXTRA_BCC	202
EXTRA_BSSID	EXTRA_BSSID	617
EXTRA_CC	EXTRA_CC	202
EXTRA_DISCOVERABLE_DURATION	EXTRA_DISCOVERABLE_DURATION	588
EXTRA_EMAIL	EXTRA_EMAIL	202
EXTRA_EXTRA_INFO	EXTRA_EXTRA_INFO	615
EXTRA_IS_FAILOVER	EXTRA_IS_FAILOVER	615
EXTRA_LANGUAGE	EXTRA_LANGUAGE	533
EXTRA_MAXRESULTS	EXTRA_MAXRESULTS	533
EXTRA_NETWORK_INFO	EXTRA_NETWORK_INFO	615
EXTRA_NO_CONNECTIVITY	EXTRA_NO_CONNECTIVITY	615
EXTRA_OTHER_NETWORK_INFO	EXTRA_OTHER_NETWORK_INFO	615
EXTRA_OUTPUT	EXTRA_OUTPUT	512
EXTRA_PHONE_NUMBER	EXTRA_PHONE_NUMBER	226
EXTRA_PREVIOUS_STATE	EXTRA_PREVIOUS_STATE	585
EXTRA_PROMPT	EXTRA_PROMPT	533
EXTRA_REASON	EXTRA_REASON	615
EXTRA_RESULTS	EXTRA_RESULTS	534
EXTRA_STATE	EXTRA_STATE	585
EXTRA_STREAM	EXTRA_STREAM	202
EXTRA_SUBJECT	EXTRA_SUBJECT	202
EXTRA_TEXT	EXTRA_TEXT	202
EXTRA_VIDEO_QUALITY	EXTRA_VIDEO_QUALITY	512

F file://	file://	505
fileList	fileList	289
files	파일	287–289



databases
static
FILL
fillAfter
fillBefore
fill_parent
findItem
findViewById
FingerPaint
finish
Live Folders
flag
FLAG_INSISTENT
FLAG_ONGOING_EVENT
FLAG_SHOW_LIGHTS
flash memory
FLASH_MODE_*
FOCUS_MODE_*
fontScale
Force Close error
background threads
Geocoder
foreground applications
Services
forward geocoding
frame-by-frame animations
FrameLayout
friendly name
fromDegrees
full images
full lifetime
FULL_WAKE_LOCK

데이터베이스	300
정적	288-289
FILL	683
fillAfter	93
fillBefore	93
fill_parent	128, 168
findItem	176, 178
findViewById	40, 59, 124
FingerPaint	688
finish	199, 200
라이브 폴더	481
flag	400
FLAG_INSISTENT	443
FLAG_ONGOING_EVENT	443
FLAG_SHOW_LIGHTS	441
플래시 메모리	45
FLASH_MODE_*	521
FOCUS_MODE_*	521
fontScale	104
강제 종료 에러	52
백그라운드 스레드	416
지오코더	357
포그라운드 애플리케이션	41
서비스	414-415
순방향 지오코딩	358-360
프레임별 애니메이션	94, 666, 680-681
FrameLayout	127, 457
쉬운 이름	583
fromDegrees	161
풀 이미지	518
전체 수명	116
FULL_WAKE_LOCK	654

G

GADGET
Gallery
Gallery Layout
gData
Geocoder
Force Close error
null
Geocoder
GeoPoint
map taps
getAction
getActiveNetworkInfo
getAttribute
getBestProvider

GADGET	204
Gallery	126
갤러리 레이아웃	127
gData	665
지오코더	10, 356-361
강제 종료 에러	357
null	358
Geocoder	357
GeoPoint	367, 702
맵 탭	375
getAction	207, 709
getActiveNetworkInfo	613
getAttribute	526
getBestProvider	346

getBondedDevices	595
getColumnIndexOrThrow	294
columnName	294
columnNames	294
getConfiguredNetworks	619
getContentResolver	316
getCount	294
getCurrentPosition	510
getData	207
getDataActivity	541
getDataState	541
getDefault	533
getDefaultSensor	625
getDrawable	97
getFrame	511
getFromLocation	358
getFromLocationName	359-360
getHistorical*	711
getHistorySize	711
getInputStream	598
getIntent	207
getItem	229
getLastKnownLocation	344, 347
updateWithNewLocation	349
getMode	144
getNetworkInfo	613
getNetworkPreference	614
getOperator*	547
getOutputStream	598
getParameters	520
getPhoneType	542
getPointerCount	709
getPosition	295
getProjection	374
getProvider	344
getProviders	345
getReadableDatabase	298
get(read/writable)Database	299
getResources	97
getRoaming	547
getScanMode	587
getScanResult	618
getSelectedItemPosition	187
[get/set]ColorEffect	521
[get/set]FlashMode	521
[get/set]FocusMode	521
[get/set]SceneMode	520
[get/set]WhiteBalance	521



getSharedPreferences	
getSimState	
getSize	
getString	
getSupported*	
getSystemService	
Sensor Manager	
Vibrator	
Wi-Fi	
getType	
get(type)	
getUserData	
getView	
getWifiState	
getWritableDatabase	
getX	
getY	
GIF	
glEsVersion	
Gmail	
Google	
App Engine	
Experience	
gData	
Maps	
Talk	
GPS	
cache	
GPS Exchange Format(GPX)	
GPS_PROVIDER	
GPX. See GPS Exchange Format	
<gradient>	
GradientDrawable	
gradientRadius	
graphics	
gravity sensors. See accelerometers	
GridLayoutAnimationController	
GSM	
SIM	
GUI threads	
gyroscopes	

H

Handler	
Post	
postAtTime	
postDelayed	
Threads	

getSharedPreferences	261, 262
getSimState	543–544
getSize	144
getString	99
getSupported*	522
getSystemService	347, 428
센서 매니저	625
Vibrator	647
Wi-Fi	614
getType	315, 324
get(type)	262, 267, 301–302
getUserData	558
getView	229–230
getWifiState	616
getWritableDatabase	298, 306
getX	710, 711, 715
getY	710, 711
GIF	91
glEsVersion	77
Gmail	8
구글	
앱 엔진	665
Experience	457
gData	665
지도	7, 10, 16, 341–394
톡	8
GPS	9
캐시	48
GPS 교환 포맷(GPX)	343–344
GPS_PROVIDER	343
GPX, GPS 교환 포맷 참조	
<gradient>	158
GradientDrawable	158–160
gradientRadius	159
그래픽스	9, 12
중력 센서, 가속도계 참조	
GridLayoutAnimationController	678
GSM	8, 541
SIM	543
GUI 스레드	420–422
자이로스코프	625, 629

Handler	420
post	422
postAtTime	422
postDelayed	422
스레드	416, 443

Timers	타이머	443
hardware, resources	하드웨어, 리소스	101-103
HCI. See human computer interaction	HCI. 휴먼 컴퓨터 인터랙션 참조	
heightMeasureSpec	heightMeasureSpec	144
hello hello	100	
Hello World	헬로 월드	35, 37-41
HOME	HOME	204
hookupButton	hookupButton	139
hotspots, Wi-Fi	핫스팟, Wi-Fi	618-619
HTC	HTC	13
Sense UI	센스 UI	8
HTML5	HTML5	9
HTTP	HTTP	509
human computer interaction(HCI)	휴먼 컴퓨터 인터랙션(HCI)	122
HVGA	HVGA	46, 165
skins	스킨	171
I icon menu	아이콘 메뉴	173
icons	아이콘	177
IM. See instant messaging	IM. 인스턴트 메시징 참조	
Image Views	이미지 뷰	466-467
ImageButton	ImageButton	458
ImageView	ImageView	458
IMEI	IMEI	541
implicit Intents	암시적 인텐트	
Activities	액티비티	196-197
Intent Filters	인텐트 필터	203-214
startActivity	startActivity	205
import	import	659
in	in	89
inactive state	비활성 상태	113
includeInGlobalSearch	includeInGlobalSearch	491
incoming phone calls	착신 전화 통화	546
inflate	inflate	95, 138
initCompassView	initCompassView	148
initialLayout	initialLayout	459
innerRadius	innerRadius	157
innerRadiusRatio	innerRadiusRatio	157
InputStream	InputStream	288, 598
insert	insert	
Content Providers	콘텐츠 프로바이더	312
Content Resolvers	콘텐츠 리졸버	318-319
SQLiteDatabase	SQLiteDatabase	302
insistent Notifications	강조 알림	442-443
instance state, saving and restoring	인스턴스 상태, 저장 및 복원	283-284
instant messaging(IM)	인스턴트 메시징(IM)	52
instrumentation	instrumentation	80



Intent(s)	인텐트(들)	12, 17, 73, 194-227
Activities	액티비티	194-208
Broadcast Receivers	브로드캐스트 리시버	221-227
Camera	카메라	518-519
Menu Item	메뉴 아이템	176
onStart	onStart	401
Preference Screens	환경설정 화면	278
video	비디오	512-513
Intent Filter	인텐트 필터	
extensibility	확장성	214-218
implicit Intents	암시적 인텐트	203-214
plug-ins	플러그 인	214-218
search	검색	487
telephony	전화통신	540
Widgets	위젯	460, 468-469
Intent Receiver	브로드캐스트 리시버	41-42
onCreate	onCreate	456
Widgets	위젯	460, 468-469
Intent resolution	인텐트 해석	205-206
Intent.ACTION_CALL	Intent.ACTION_CALL	539
Intent.ACTION_CALL_BUTTON	Intent.ACTION_CALL_BUTTON	539
Intent.ACTION_DIAL	Intent.ACTION_DIAL	539
Intent.ACTION_DIAL	Intent.ACTION_DIAL	540
Intent.ACTION_VIEW	Intent.ACTION_VIEW	539
Intent.EXTRA_STREAM	Intent.EXTRA_STREAM	550
IntentFilter	IntentFilter	224
intent-filter	intent-filter	211, 215, 224
<intent-filter>	<intent-filter>	78, 111, 539
IntentReceivers	브로드캐스트 리시버	455
interactivity, Widgets	상호작용 요소, 위젯	465-467
INTERAL_HOUR	INTERAL_HOUR	446
interface	interface	662
intermittent applications	인터미턴트 애플리케이션	41, 42
Internet	인터넷	
resources	리소스	236-239
security	보안	52
INTERNET	INTERNET	238, 365
Internet services	인터넷 서비스	665-666
interpolator	interpolator	93
interprocess communication	프로세스 간 통신	11-12, 17
INTERVAL_DAY	INTERVAL_DAY	446
INTERVAL_FIFTEEN_MINUTES	INTERVAL_FIFTEEN_MINUTES	446
INTERVAL_HALF_DAY	INTERVAL_HALF_DAY	446
INTERVAL_HALF_HOUR	INTERVAL_HALF_HOUR	446
IPC	IPC	
AIDL	AIDL	662-665
message passing	메시지 전달	9
iPhone	아이폰	4

isAltPressed
 isLooping
 isModifierKey
 isRouteDisplayed
 isShiftPleased
 isSymPressed
 isWifiEnabled
 item
 <item>
 ItemClickListener
 item.getItemId
 ItemizedOverlay
 itemizedOverlay(OverlayItem)
 ItemizedOverlays

J

Java
 .class
 ME
 MIDlets
 VM
 Java Development Kit(JDK)
 Java runtime environment(JRE)
 java.io.File
 java.lang.Thread
 java.net.*
 java.util.TimeZone
 JDK. See Java Development Kit
 JPEG
 JPG
 JRE. See Java runtime environment

K

keyboard
 Keyboard Availability
 Keyboard Input Type
 keyboardHidden
 keyCode
 Keyhole Markup Language(KML)
 KeyListeners
 KML. See Keyhole Markup Language

L

label
 Language and Region
 LANGUAGE_MODEL_FREE_FORM
 LANGUAGE_MODEL_WEB_SEARCH
 languages

isAltPressed 714
 isLooping 511
 isModifierKey 714
 isRouteDisplayed 365, 369
 isShiftPleased 714
 isSymPressed 714
 isWifiEnabled 616
 item 90, 162
 <item> 163, 681
 OnItemClickListener 253
 item.getItemId 178
 ItemizedOverlay 382-383
 itemizedOverlay(OverlayItem) 384
 ItemizedOverlays 363, 382-385

자바

.class 63
 ME 4, 21-22
 미들릿 3-4
 VM 71
 자바 개발 킷(JDK) 27
 자바 런타임 환경(JRE) 27
 java.io.File 289
 java.lang.Thread 420
 java.net.* 238
 java.util.TimeZone 227
 JDK. 자바 개발 킷 참조
 JPEG 521, 524-525
 JPG 12, 91
 JRE. 자바 런타임 환경 참조

keyboard 104
 키보드 사용 여부 102
 키보드 입력 타입 102
 keyboardHidden 104
 keyCode 714
 키홀 마크업 언어(KML) 343-344
 KeyListener 55
 KML. 키홀 마크업 언어 참조

label 459
 언어와 지역 102
 LANGUAGE_MODEL_FREE_FORM 533
 LANGUAGE_MODEL_WEB_SEARCH 533
 언어 101-103



largeScreens	
latency	
launch configuration	
launch Intent	
LAUNCHER	
Layer Drawables	
LayerDrawable	
<layer-list>	
layout	
Layout Animations	
Layout Managers	
LayoutAnimation	
LayoutAnimationController	
LayoutInflate	
layoutOpt	
LayoutParameters	
LayoutParams	
layouts	
nesting	
Views	
Widgets	
XML	
LBS. See location-based services	
L2CAP. See Logical Link Control and Adaptation Protocol	
LED	
ledARGB	
LENGTH_LONG	
LENGTH_SHORT	
Level List Drawables	
LevelListDrawables	
libc	
libraries	
licensing	
LightingColorFilter	
lights	
Notifications	
sensor	
linear	
LinearGradient	
LinearLayout	
Linkify	
Linkify.addLinks	
Linux kernel	
Linux Phone Standards Forum(LiPS)	
LiPS. See Linux Phone Standards Forum	
List	
ListActivity	
listen	

largeScreens	77
지연 시간	46-47
시작 구성	35-36
시작 인텐트	206
LAUNCHER	111, 204
레이어 드로어블	162-163
LayerDrawable	162-163
<layer-list>	162
layout	39
레이아웃 애니메이션	678-680
레이아웃 매니저	126
LayoutAnimation	678-680
LayoutAnimationController	678
LayoutInflate	138
layoutOpt	63
LayoutParameters	128
LayoutParams	385
레이아웃	39-41, 91-92, 126-130
중첩	129
뷰	129
위젯	456-459
XML	127-129
LBS. 위치 기반 서비스	
L2CAP. Logical Link Control and Adaptation Protocol 참조	
LED	441-442
ledARGB	441
LENGTH_LONG	423
LENGTH_SHORT	423
레벨 리스트 드로어블	163-164
LevelListDrawable	91
libc	20
라이브러리	18, 23
라이선싱	8
LightingColorFilter	688
빛	
알림	441-442
센서	625, 629
linear	158
LinearGradient	685-686
LinearLayout	58, 124, 127, 128-129, 457
Linkify	218-220
Linkify.addLinks	218
리눅스 커널	4, 20, 650
리눅스 폰 표준화 포럼(LiPS)	5
LiPS. 리눅스 폰 표준화 포럼 참조	
List	658
ListActivity	119
listen	545

listenUsingRfcommWithServiceRecord	
ListPreference	
ListView	
ArrayAdapter	
ListViews	
Live Folders	
Activities	
Content Providers	
finish	
onCreate	
Live Wallpaper	
LiveFolders_ID	
LiveFolders.Image	
LiveFolders.NAME	
Locale	
locale	
localization	
Location Listeners	
Location Manager	
Location Providers	
location tracking	
privacy	
location-based services	
location-based services(LBS)	
Emulator	
LocationListener	
LocationManager	
LocationManager.GPS_PROVIDER	
LocationManager.NETWORK_PROVIDER	
LOCATION_SERVICE	
Logical Link Control and Adaptation Protocol(L2CAP)	
looping	

M

Mac OS X	
magnetic field	
MAIN	
main application thread	
main.xml	
makeText	
LocationManager.KEY_PROXIMITY_ENTERING	
<manifest>	
Manifest Editor	
Map	
Map Controller	
map taps	
Map View	
API key	

listenUsingRfcommWithServiceRecord	582
ListPreference	276
ListView	59, 124, 125, 186, 247
ArrayAdapter	59
ListView	55
라이브 폴더	9, 12, 17, 479-486
액티비티	481
콘텐츠 프로바이더	480-481
finish	482
onCreate	481
라이브 월 페이퍼	9, 12, 17, 496-500
LiveFolders_ID	480
LiveFolders.Image	480
LiveFolders.NAME	480
Locale	533
locale	104
현지화	9
위치 리스너	351
위치 매니저	342, 347, 566
위치 프로바이더	342, 344-346
위치 추적	350-352
사생활	352
위치 기반 서비스	9
위치 기반 서비스(LBS)	341-394
에뮬레이터	343-344
LocationListener	350, 353
LocationManager	345
LocationManager.GPS_PROVIDER	345
LocationManager.NETWORK_PROVIDER	345
LOCATION_SERVICE	347
Logical Link Control and Adaptation Protocol(L2CAP)	591
반복	510

맥 OS X	27
자기장	625, 629
MAIN	111
메인 애플리케이션 스레드	416
main.xml	39
makeText	423
LocationManager.KEY_PROXIMITY_ENTERING	356
<manifest>	74
매니페스트 에디터	81-82
Map	658
맵 컨트롤러	371
맵 탭	375-376
맵 뷰	360, 362-386
API 키	363-366



Overlay	오버레이	702
View	뷰	385-386
MapActivity	MapActivity	119, 362-368, 385
MapController	MapController	362, 368
Maps, Google	지도, 구글	7, 10, 16, 341-394
MapView	MapView	362-386
addView	addView	385
map taps	맵 탭	375
onCreate	onCreate	365
Overlay	오버레이	372-381
Projection	프로젝션	703
TextView	TextView	386
zoom	확대	367-368
MapView.LayoutParams	MapView,LayoutParams	385
Mask Filters	마스킹 필터	688
MaskFilter	MaskFilter	687
Match Filter	매치 필터	220
MatchFilter	MatchFilter	220
maxSDKVersion	maxSDKVersion	75
MCC. See Mobile Country Code	MCC, 모바일 국가 코드 참조	
MD5	MD5	363-366
ME. See Mobile Edition	ME, 모바일 에디션 참조	
MeasureSpec	MeasureSpec	144
media libraries	미디어 라이브러리	9
Media Player	미디어 플레이어	503-504
Content Providers	콘텐츠 프로바이더	504
create	create	504-506, 510
playback	재생	510-511
prepare	prepare	505
release	release	504
setDataSource	setDataSource	505
Surface View	서피스 뷰	508-510
Media Player	미디어 플레이어	502
Media Recorder	미디어 레코더	513-517
Media Scanner	미디어 스캐너	527-528
Media Store	미디어 스토어	331, 513, 526-528
MediaPlayer	MediaPlayer	503-504
MediaRecorder	MediaRecorder	513
MediaScannerConnection	MediaScannerConnection	527-528
MediaStore	MediaStore	331, 332, 512
MEID	MEID	541
memory	메모리	13
flash	플래시	45
runtime	런타임	83
smartphones	스마트폰	51
<menu>	<menu>	182
menu(s)	메뉴(들)	95, 172-190
Activities	액티비티	174-176

XML	
Menu, findItem	
Menu Item	
anonymous actions	
click listener	
Intent	
options	
selections	
updating	
MenuInflater	
MenuItemClickListener	
MessagePoster	
<meta-data>	
middleColor	
MIDlets, Java	
minHeight	
minimum update rate, Widgets	
minSDKVersion	
minWidth	
MIRROR	
MkSDCard	
mm	
MMS. See multimedia messaging service	
MNC. See Mobile Network Code	
Mobile Country Code(MCC)	
mobile device development	
Mobile Edition(ME)	
Mobile Internet	
Mobile Network Code(MNC)	
MotionEvent	
MotoBlur	
Motorola	
movePosition	
moveToFirst	
moveTo(location)	
moveToNext	
moveToPosition	
moveToPrevious	
multimedia	
multimedia messaging service(MMS)	
My Location Overlay	
MyLocationOverlay	
N	
name	
native applications	
Native Development Kit(NDK)	
native dialer	

XML	182-184
Menu, findItem	176, 178
메뉴 아이템	
익명 액션	216-217
클릭 리스너	176-177
인텐트	177
옵션	176-177
선택	178-179
업데이트	178
MenuInflater	95
MenuItemClickListener	177
MessagePoster	608
<meta-data>	487, 495
middleColor	158
미들릿, 자바	3-4
minHeight	459
최소 업데이트 주기, 위젯	467-468
minSDKVersion	75
minWidth	459
MIRROR	687
MkSDCard	63
mm	89
MMS. 멀티미디어 메시징 서비스 참조	
MNC. 모바일 네트워크 코드 참조	
모바일 국가 코드(MCC)	102, 542
모바일 장치 개발	43-54
모바일 에디션(ME)	4, 21-22
모바일 인터넷	237
모바일 네트워크 코드(MNC)	102, 542
MotionEvent	708, 715
모토블러	8
모토로라	8, 13, 165
movePosition	676, 677
moveToFirst	294
moveTo(위치)	301-302
moveToNext	294
moveToPosition	294
moveToPrevious	294
멀티미디어	9
멀티미디어 메시징 서비스(MMS)	549-579
내 위치 오버레이	381
MyLocationOverlay	362, 381-382
name	488
네이티브 애플리케이션	201-203
네이티브 개발 키트(NDK)	22
네이티브 다이얼러	539-540



- native features
- navigation
- NDK. See Native Development Kit
- nesting
- .NET Common Language Runtime
- Network Connectivity Service
- networkId
- NetworkInfo
- networks
- NETWORK_STATE_CHANGED_ACTION
- newWakeLock
- NinePatch
- normalScreens
- Notification(s)
 - cancel
 - defaults
 - extended status window
 - insistent
 - lights
 - number
 - sound
 - status bar
 - vibrate
- Notification Manager
- NotificationManager
- notify
- notifyDataSetChanged
- NPE. See null pointer error
- null
 - Geocoder
 - Location Providers
 - onStartCommand
- null pointer error(NPE)
- number

- 네이티브 기능 237
- navigation 104
- NDK. 네이티브 개발 키 참조
- 중첩 129
- .NET 공용 언어 런타임 71
- 네트워크 연결 서비스 611-615
- networkId 620
- NetworkInfo 613
- 네트워크 611-615
- NETWORK_STATE_CHANGED_ACTION 617
- newWakeLock 654
- 나인패치 91, 164, 457
- normalScreens 77
- 알림(들) 11, 73, 397, 427-443
 - cancel 434
 - defaults 438
 - 펼쳐진 상태 표시줄 윈도우 430-433
 - 강조 442-443
 - 불빛 441-442
 - number 429
 - sound 439
 - 상태 표시줄 427
 - vibrate 439-440
- 알림 매니저 23, 428
- NotificationManager 428-429
- notify 433
- notifyDataSetChanged 309
- NPE. 널 포인터 에러 참조
- null
 - 지오코더 358
 - 위치 프로바이더 347
 - onStartCommand 399
- 널 포인터 에러(NPE) 457
- number 429

O

- OEMs
- off-peak
- OHA. See Open Handset Alliance
- OMA. See Open Mobile Alliance
- onAccuracyChanged
- onActivityResult
 - Bluetooth discovery
- onAnimationEnd
- onAnimationRepeat
- onAnimationStart
- onBind
- onCallStateChanged

- OEM 8
- 한산할 때 48
- OHA. 오픈 핸드셋 얼라이언스 참조
- OMA. 오픈 모바일 얼라이언스 참조
- onAccuracyChanged 626
- onActivityResult 200, 270, 272, 513
 - 블루투스 검색 589
- onAnimationEnd 670
- onAnimationRepeat 670
- onAnimationStart 670
- onBind 398, 412
- onCallStateChanged 546

onCellLocationChanged	546
onConfigurationChanged	104-105, 107
onContextItemSelected	182, 187
onCreate	59, 107, 116, 185, 189, 211, 267, 298, 324
Activity	37
ArrayList	59
Bundle	283
CompassView	644
ContentProvider	313
getIntent	207
Intent Receiver	456
ItemClickListener	253
Live Folders	481
MapActivity	385
MapView	365
requestLocationUpdates	354
SensorManager	644
Service	395
setContentView	39
updateFromPreferences	271
onCreateContextMenu	181, 185
onCreateDialog	242, 243, 254
onCreateMenu Options	178
onCreateOptionsMenu	95, 174, 178, 183, 269
onDataActivity	548
onDataConnectionStateChanged	548
onDestroy	116, 311, 392
onDraw	130, 142-143, 152, 642
OnInitListener	655
onItemClickListener	210, 605
onKey	714
onKeyDown	146, 677, 707, 712-713
OnKeyListener	310, 714
onKeyListener	60, 189
onKeyUp	146, 707, 712-713
online support	온라인 지원 19
onLocationChanged	351
onLowMemory	107
onMeasure	140, 142, 143, 149
onOffsetsChanged	499
onOptionsItemSelected	175, 176-177, 187, 269
onPause	118, 285, 392
onPostExecute	418
onPrepareDialog	242, 243-245, 254
onPrepareOptionsMenu	178, 186
onPreviewFrame	524
onProgressUpdate	418
onReceive	222, 460, 469, 556, 569



onRestart
 onRestore
 onRestoreInstanceState
 onResume
 onSaveInstanceState
 onSensorChanged
 onServiceConnected
 onServiceDisconnected
 onServiceStateChanged
 onSharedPreferenceChangeListener
 onStart
 onStartCommand
 onStop
 onSurfaceCreated
 onTap
 onTerminate
 onTouchEvent
 onTouchListener
 onTrackballEvent
 onUpdate
 App Widget Provider
 Remote Views
 onUpgrade
 Open Handset Alliance(OHA)
 Open Mobile Alliance(OMA)
 open source
 openFileInput
 openFileOutput
 OpenGL
 openOrCreateDatabase
 openRawResource
 orientation
 orientation sensor
 OutputStream
 oval
 Overlay
 Canvas
 draw
 Map Views
 MapView
 StateListDrawable
 Overlay
 OverlayItem
 OverlayItems

onRestart 117
 onRestore 385
 onRestoreInstanceState 117, 261, 284
 onResume 118, 392, 645
 onSaveInstanceState 117, 118, 260, 283
 onSensorChanged 626, 628, 632
 onServiceConnected 413
 onServiceDisconnected 413
 onServiceStateChanged 547
 onSharedPreferenceChangeListener 279
 onStart 117, 398, 400
 onStartCommand 400-401
 onStop 117, 645
 onSurfaceCreated 499
 onTap 375, 377, 702
 onTerminate 107
 onTouchEvent 146, 499, 708, 709
 onTouchListener 713
 onTrackballEvent 146, 707, 714-715
 onUpdate
 앱 위젯 프로바이더 460
 리모트 뷰 463
 onUpgrade 298
 오픈 핸드셋 얼라이언스(OHA) 5, 13
 오픈 모바일 얼라이언스(OMA) 5
 오픈소스 6
 openFileInput 287
 openFileOutput 287
 OpenGL 6, 77, 666
 openOrCreateDatabase 299
 openRawResource 288
 orientation 104
 방향 센서 625, 629, 637-641
 OutputStream 598
 oval 157
 오버레이
 Canvas 374
 draw 374
 맵 뷰 702
 MapView 372-381
 StateListDrawable 384
 Overlay 362
 OverlayItem 382, 383
 OverlayItems 363, 382-385

P

package
 <padding>

package 74
 <padding> 157

Paint	142, 151-152, 374, 682, 683-691
Palm Pre	
Parcelable	659-662
PARTIAL_WAKE_LOCK	654
Path Effects	689
PathDashPathEffect	689
pause	506
paused state	113
peer-to-peer transfer	9
Pending Intent	227-228, 430
PendingIntent	227-228, 355, 430
respond	566
permission	80, 652
⟨permission⟩	651
permissions	651-653
Phone State Listener	544-545
PHONE_NUMBERS	218
PhoneStateListener	544
PhoneStateListener.LISTEN_NONE	545
PictureCallback	524
Pipes, Yahoo!	
pivotX	161
pivotY	161
pixel density	166
Relative Layout	상대적인 레이아웃 168
PixelXorXfermode	690
play	531
playback	
audio	504-506
Media Player	510-511
video	506-510
playback	재생 510
plug-ins, Intent Filters	플러그 인, 인텐트 필터 214-218
PNG	91, 457
Points	374
populate	383
populateSpinners	265
PorterDuffColorFilter	689
PorterDuffXfermode	690
Post	422
postAtTime	422
postDelayed	422
postInvalidate	376
Power Manager	654
Preference Activity	환경설정 액티비티 273-278
Preference Screens	환경설정 화면 274-277
PreferenceActivity	278
PreferenceCategory	274



Preference(control)
 Preferences
 PreferenceScreen
 prepare
 pressure sensor
 PreviewCallback
 onPreviewFrame
 priority
 privacy, location tracking
 process states
 PROCESS_OUTGOING_CALLS
 ProgressBar
 ProgressDialog
 Projection
 MapView
 provider
 <provider>
 proximity alerts
 proximity sensors
 pt
 put
 px

Q

Qualcomm
 query
 Content Providers
 ContentResolver
 databases
 URI Matcher
 quick search
 Quick Search Box
 QuickContactBadge
 QVGA

R

radial
 RadialGradient
 radio buttons
 RadioButton
 radius
 RawContacts
 R.drawable
 read
 READ_CONTACTS
 readPermission
 READ_PHONE_STATE
 RECEIVE_BOOT_COMPLETED

Preference(control) 274
 Preferences 263, 269, 272
 PreferenceScreen 274
 prepare 505
 압력 센서 625, 629
 PreviewCallback 524
 onPreviewFrame 524
 priority 620
 사생활, 위치 추적 352
 프로세스 상태 83-85
 PROCESS_OUTGOING_CALLS 226
 ProgressBar 458
 ProgressDialog 243
 프로젝션 373
 MapView 702
 provider 79
 <provider> 327
 근접 경보 355-356
 근접 센서 625, 629
 pt 89
 put 302
 px 89

퀄컴 13
 query 325
 콘텐츠 프로바이더 312
 ContentResolver 317
 데이터베이스 301-302
 UriMatcher 490
 퀵 서치 17
 퀵 서치 박스 491
 QuickContactBadge 126
 QVGA 46, 165, 170

radial 158
 RadialGradient 685-686
 라디오 버튼 176
 RadioButton 126
 radius 157
 RawContacts 334
 R.drawable 96
 read 530
 READ_CONTACTS 213, 334
 readPermission 653
 READ_PHONE_STATE 541, 544
 RECEIVE_BOOT_COMPLETED 226

receiver	79
<receiver>	224
RECEIVE_SMS	556
RecognizerIntent	533-534
RECORD_AUDIO	513
recording	511-517
RECORD_VIDEO	513
rectangle	157
ReentrantLock	562
Regex	220
registerForContextMenu	180
registerReceiver	225
Relative Layout	127, 168
RelativeLayout	127, 458
release	
Camera	520
Media Player	504
Media Recorder	516
remapCoordinateSystem	640
Remote Views	
App Widgets	460
onUpdate	463
UI	465
RemoteView	432
App Widgets	455
View	460
remove	100
removeItem	310-311
removeNetwork	620
removeUpdates	352
removeView	386
REPEAT	687
repeating Alarms	446-447
reqFiveWayNav	75
reqHardKeyboard	76
reqKeyboardType	76
reqNavigation	76
reqTouchScreen	76
query	393
request code	200
sub-Activity	200
requestLocationUpdates	350, 354
requestReceived	564-565, 579
requires-permission	401
res	101
res/	86
res/anim	92
res/drawable	91, 94, 100
receiver	79
<receiver>	224
RECEIVE_SMS	556
RecognizerIntent	533-534
RECORD_AUDIO	513
레코딩	511-517
RECORD_VIDEO	513
rectangle	157
ReentrantLock	562
Regex	220
registerForContextMenu	180
registerReceiver	225
상대 레이아웃	127, 168
RelativeLayout	127, 458
release	
카메라	520
미디어 플레이어	504
미디어 레코더	516
remapCoordinateSystem	640
리모트 뷰	
앱 위젯	460
onUpdate	463
UI	465
RemoteView	432
앱 위젯	455
뷰	460
remove	100
removeItem	310-311
removeNetwork	620
removeUpdates	352
removeView	386
REPEAT	687
반복 알람	446-447
reqFiveWayNav	75
reqHardKeyboard	76
reqKeyboardType	76
reqNavigation	76
reqTouchScreen	76
query	393
요청 코드	200
하위 액티비티	200
requestLocationUpdates	350, 354
requestReceived	564-565, 579
requires-permission	401
res	101
res/	86
res/anim	92
res/drawable	91, 94, 100



res/drawable-hdpi	res/drawable-hdpi	169
res/drawable-ldpi	res/drawable-ldpi	169
res/drawable-mdpi	res/drawable-mdpi	169
res/layout	res/layout	124
res/layout-large	res/layout-large	170
res/layout-normal	res/layout-normal	170
res/layout-small	res/layout-small	170
resolution	해상도	
independence	독립	164-170
testing	테스트	170-172
Resource	Resource	288
resource	resource	488
resource(s)	리소스(들)	
@	@	98-99
hardware	하드웨어	101-103
languages	언어	101-103
referencing	참조	98-99
Resource Manager	리소스 매니저	23
Resources	Resources	97
resources in code	코드에서의 리소스	96-98
respond	respond	562, 566-568
PendingIntent	PendingIntent	568
res/raw	res/raw	288
RESTART	RESTART	670
restoreUIState	restoreUIState	286
result code	결과 코드	200
RESULT_CANCELED	RESULT_CANCELED	199
res/values	res/values	87, 100-101
res/xml	res/xml	274
REVERSE	REVERSE	670
reverse geocoding	역방향 지오코딩	357-358
RFCOMM	RFCOMM	591
ring	ring	157
RingtonePreference	RingtonePreference	276
roaming	로밍	547
rotate	rotate	92-93
<rotate>	<rotate>	161
RotateDrawable	RotateDrawable	161-162
/<rownumber>	/<rownumber>	313
RS232	RS232	591
RSSL_CHANGED_ACTION	RSSL_CHANGED_ACTION	617
R.string	R.string	96
RTC	RTC	470
RTC_WAKEUP	RTC_WAKEUP	445
RTSP	RTSP	509
Rubin, Andy	루빈, 앤디	5
Runnable	Runnable	608
runOnUiThread	runOnUiThread	421

runtime	런타임	18
configuration changes	구성 변경	103-105
memory	메모리	83
S S60	S60	5
sample code	샘플 코드	19
Saved Application State	저장된 애플리케이션 상태	260
savePreferences	savePreferences	268, 269, 573
saving state	상태 저장	260
SAX	SAX	239
scale	scale	92-93
(scale)	(scale)	161
ScaleDrawable	ScaleDrawable	161-162
scaleHeight	scaleHeight	161
scaleWidth	scaleWidth	161
scanFile	scanFile	527
SCAN_MODE_CONNECTABLE	SCAN_MODE_CONNECTABLE	588
SCAN_MODE_CONNECTABLE_DISCOVERABLE	SCAN_MODE_CONNECTABLE_DISCOVERABLE	587
SCAN_MODE_NONE	SCAN_MODE_NONE	588
SCAN_RESULTS_AVAILABLE_ACTION	SCAN_RESULTS_AVAILABLE_ACTION	618
SCENE_MODE_*	SCENE_MODE_*	520
scheduleLayoutAnimation	scheduleLayoutAnimation	680
Screen Orientation	화면 방향	102
Screen Pixel Density	화면 픽셀 밀도	102
screen size	화면 크기	102, 115-117
testing	테스트	170-172
Screen Width/Length	화면 폭/길이	102
SCREEN_BRIGHT_WAKE_LOCK	SCREEN_BRIGHT_WAKE_LOCK	654
SCREEN_DIM_WAKE_LOCK	SCREEN_DIM_WAKE_LOCK	654
SDK	SDK	8-9, 75, 122, 124, 364, 538
installation	설치	28
SDK Manager	SDK 매니저	65-66
seamless	심리스	53-54
search	검색	487-492
(application)	(application)	488
Content Provider	콘텐츠 프로바이더	487-488
Intent Filter	인텐트 필터	488
name	name	488
Quick Search Box	퀵 서치 박스	491
value	value	488
Search Manager	검색 매니저	490
searchSettingsDescription	searchSettingsDescription	491
security	보안	53, 650-653
SecurityException	SecurityException	401
seekTo	seekTo	506, 510
SELECTED_ALTERNATIVE	SELECTED_ALTERNATIVE	204, 215
Selection State Drawables	상태 리스트 드로어블	465-467



SelectionModeDrawable	SelectionModeDrawable	466-467
SEND	SEND	550
sendBroadcast	sendBroadcast	221, 225
sendDataMessage	sendDataMessage	555
sendIntent	sendBroadcast	653
sendMultipartTextMessage	sendMultipartTextMessage	554, 555
sendOrderedBroadcast	sendOrderedBroadcast	225
SEND_SMS	SEND_SMS	551
sendTextMessage	sendTextMessage	551-552
SEND_TO	SEND_TO	550
Sense UI	Sense UI	8
sensor(s)	센서(들)	623-648
Sensor Manager	센서 매니저	623-648
SensorEventListener	SensorEventListener	626, 632, 645
SensorManager	SensorManager	643
SensorManager.SENSOR_DELAY_GAME	SensorManager.SENSOR_DELAY_GAME	627
SensorManager.SENSOR_DELAY_NORMAL	SensorManager.SENSOR_DELAY_NORMAL	627
SensorManager.SENSOR_DELAY_UI	SensorManager.SENSOR_DELAY_UI	627
SensorManager.SENSOR_STATUS_ACCURACY_HIGH	SensorManager.SENSOR_STATUS_ACCURACY_HIGH	627
SensorManager.SENSOR_STATUS_ACCURACY_LOW	SensorManager.SENSOR_STATUS_ACCURACY_LOW	627
SensorManager.SENSOR_STATUS_ACCURACY_MEDIUM	SensorManager.SENSOR_STATUS_ACCURACY_MEDIUM	627
SensorManager.SENSOR_STATUS_UNRELIABLE	SensorManager.SENSOR_STATUS_UNRELIABLE	627
SensorManger.SENSOR_DELAY_FASTEST	SensorManger.SENSOR_DELAY_FASTEST	627
Sensor.TYPE_ACCELEROMETER	Sensor.TYPE_ACCELEROMETER	624
Sensor.TYPE_GYROSCOPE	Sensor.TYPE_GYROSCOPE	625
Sensor.TYPE_LIGHT	Sensor.TYPE_LIGHT	625
Sensor.TYPE_MAGNETIC_FIELD	Sensor.TYPE_MAGNETIC_FIELD	625
Sensor.TYPE_ORIENTATION	Sensor.TYPE_ORIENTATION	625
Sensor.TYPE_PRESSSSURE	Sensor.TYPE_PRESSURE	625
Sensor.TYPE_PROXIMITY	Sensor.TYPE_PROXIMITY	625
Sensor.TYPE_TEMPERATURE	Sensor.TYPE_TEMPERATURE	625
sentIntent	sentIntent	555
Service	Service	395-451
service	service	79
<service>	<service>	401, 498
serviceBinder	serviceBinder	413
ServiceConnection	ServiceConnection	412
Services	서비스	72, 395-451
Activities	액티비티	412-414
AIDL	AIDL	661-662
flag	flag	400
foreground applications	포그라운드 액티비티	414-415
permissions	권한	651
requires-permission	requires-permission	401
ServiceState	ServiceState	547
set	set	93
set*	set*	520
setAdapter	setAdapter	230

setAlarm,	
setAnimationListener	576
setAttribute	670
setAudioSource	526
set[audio/video]Encoder	514
setBackgroundDrawable	514
setBackgroundResource	681
setBuiltInZoomControls	681
setCenter	367
setCheckable	368
setChecked	176
setColor	176
setColorFilter	683
setContentView	688
onCreate	59, 91, 96, 110, 124-125, 240
setDataSource	39
setDisplay	505, 509
setGravity	507
setHeaderIcon	424
setIcon	179
setImageLevel	179
setInexactRepeating	164
setJpegQuality	446
setJpegThumbnailQuality	521
setJpegThumbnailSize	521
setKeepScreenOn	521
setLatestEventInfo	506
setLayoutParams	430
setLevel	128
setLooping	161
setMeasuredDimension	511
setNetworkPreference	141, 144, 149
setOnClickPendingIntent	614
setOnKeyListener	465
setOnTouchListener	714
setOutputFile	713
setOutputFormat	515
setParameters	514
setPictureFormat	520
setPictureSize	521
setPitch	521
setPreviewCallback	656
setPreviewDisplay	524
setPreviewFormat	516
setPreviewFrameRate	521
setPreviewSize	522
setRepeatCount	521
setRepeating	670
setAlarm	446
setAnimationListener	
setAttribute	
setAudioSource	
set[audio/video]Encoder	
setBackgroundDrawable	
setBackgroundResource	
setBuiltInZoomControls	
setCenter	
setCheckable	
setChecked	
setColor	
setColorFilter	
setContentView	
onCreate	
setDataSource	
setDisplay	
setGravity	
setHeaderIcon	
setIcon	
setImageLevel	
setInexactRepeating	
setJpegQuality	
setJpegThumbnailQuality	
setJpegThumbnailSize	
setKeepScreenOn	
setLatestEventInfo	
setLayoutParams	
setLevel	
setLooping	
setMeasuredDimension	
setNetworkPreference	
setOnClickPendingIntent	
setOnKeyListener	
setOnTouchListener	
setOutputFile	
setOutputFormat	
setParameters	
setPictureFormat	
setPictureSize	
setPitch	
setPreviewCallback	
setPreviewDisplay	
setPreviewFormat	
setPreviewFrameRate	
setPreviewSize	
setRepeatCount	
setRepeating	



setRepeatMode	670
setResult	199
setScreenOnWhilePlaying	511
setShader	685
setShortcut	176
setSpeechRate	656
setStyle	683
Settings	331
settingsActivity	497
setTitle	240
Setup Auto Responder	자동 응답기 설정 570
setupListenButton	603
setupListView	605
setupSearchButton	605
setVideoPath	506
setVideoSource	514
setVideoUri	506
setView	424
setViewVisibility	465
setVolume	511
setZoom	368
Shader	Shader 685-686
Shaders	셰이더 685-687
<shape>	<shape> 157
ShapeDrawable	ShapeDrawable 157-158
shared data	공유 데이터 11-12, 17
Shared Preference Change Listener	공유 환경설정 변경 리스너 279
Shared Preferences	공유 환경설정 259, 261
Preference Activity	환경설정 액티비티 280
SharedPreferences	SharedPreferences 260, 407, 571
SharedPreferences.Editor	SharedPreferences.Editor 261
short messaging service(SMS)	단문 메시징 서비스(SMS) 7, 549-580
ADB	ADB 552
Broadcast Receivers	브로드캐스트 리시버 556, 569
EmergencyResponder	EmergencyResponder 559-580
Emulator	에뮬레이터 557
Location Manager	위치 매니저 566
maximum size	최대 크기 554-555
security	보안 52
startActivity	startActivity 550
<uses-permission>	<uses-permission> 555
shortcut keys	단축키 176
showActivity	showActivity 482
SHOW_DAMAGE	SHOW_DAMAGE 205
showDialog	showDialog 243-245
ShutterCallback	ShutterCallback 524
SIM	SIM 543-544
Simple Cursor Adapter	심플 커서 어댑터 236

SimpleCursorAdapter	SimpleCursorAdapter	228, 236
SimpleCursorArrayAdapter	SimpleCursorArrayAdapter	210
size	size	383
skins, testing	스킨, 테스트	170-172
small screens	작은 화면	45
smallScreens	smallScreens	77
smartphones	스마트폰	14-15, 51
SMS. See short messaging service	SMS, 단문 메시징 서비스 참조	
SMS Manager	SMS 매니저	551
SmsManager	SmsManager	551
SmsManager.RESULT_ERROR_GENERIC_FAILURE	SmsManager.RESULT_ERROR_GENERIC_FAILURE	553
SmsManager.RESULT_ERROR_NULL_PDU	SmsManager.RESULT_ERROR_NULL_PDU	553
SmsManager.RESULT_ERROR_RADIO_OFF	SmsManager.RESULT_ERROR_RADIO_OFF	553
SmsMessage	SmsMessage	556
software stack	소프트웨어 스택	20-21
<solid>	<solid>	157
Sony Ericsson	소니 에릭슨	8, 165
sound	sound	439
sp	sp	89
speech recognition	음성 인식	533-534
speed	속도	46-47
Spinner	Spinner	125, 570
SQLite	SQLite	6, 11, 62, 291-298
SQLiteDatabase	SQLiteDatabase	322
delete	delete	302
insert	insert	302
update	update	302
SQLiteOpenHelper	SQLiteOpenHelper	298-300, 322
SSID S	SID	617, 620
SSID	SSID	620
SSL	SSL	20
start	start	
Media Recorder	미디어 레코더	516
playback	playback	510
startActivity	startActivity	196, 197, 277
implicit intents	암시적 인텐트	205
MMS	MMS	550
SMS	SMS	550
startActivityForResult	startActivityForResult	196, 197, 270
Camera	카메라	518
startAnimation	startAnimation	670
startAutoResponder	startAutoResponder	562
startColor	startColor	158
startDiscovery	startDiscovery	595
started service processes	시작된 서비스 프로세스	85
START_FLAG_REDELIVERY	START_FLAG_REDELIVERY	400
START_FLAG_Retry	START_FLAG_Retry	400
startForeground	startForeground	414



startManagingCursor	startManagingCursor	295, 309
startNewActivityForResult	startActivityForResult	533
startNextMatchingActivity	startNextMatchingActivity	207
START_NOT_STICKY	START_NOT_STICKY	399
startOffset	startOffset	93
startRecording	startRecording	530
START_REDELIVER_INTENT	START_REDELIVER_INTENT	399
startService	startService	398, 401
START_STICKY	START_STICKY	399
State List Drawables	상태 리스트 드로어블	163
STATE_EMERGENCY_ONLY	STATE_EMERGENCY_ONLY	547
STATE_IN_SERVICE	STATE_IN_SERVICE	547
StateListDrawable	StateListDrawable	91, 384
STATE_OFF	STATE_OFF	584
STATE_ON	STATE_ON	584
STATE_OUT_OF_SERVICE	STATE_OUT_OF_SERVICE	547
STATE_POWER_OFF	STATE_POWER_OFF	547
STATE_TURNING_OFF	STATE_TURNING_OFF	584
STATE_TURNING_ON	STATE_TURNING_ON	584
static files	정적 파일	288-289
status	status	620
status bar	상태 표시줄	427
stop	stop	510, 516
stopForeground	stopForeground	415
stopManagingCursor	stopManagingCursor	295
stopped state	중지 상태	113
stopPlayback	stopPlayback	506
stopSelf	stopSelf	398, 400, 401
stopService	stopService	398, 401
StreetView	StreetView	370
String	String	152, 658
<string>	<string>	88
String.format	String.format	88
strings	문자열	88
Linkify	Linkify	218-219
STROKE	STROKE	683
<stroke>	<stroke>	157
STROKE_AND_FILL	STROKE_AND_FILL	683
<style>	<style>	90-91
styles	스타일	90-91
themes	테마	100
sub-Activities	하위 액티비티	198
submenus	하위 메뉴	173-174, 179-180
SUBPIXEL_TEXT_FLAG	SUBPIXEL_TEXT_FLAG	690
SUGGEST_COLUMN	SUGGEST_COLUMN	490
SUGGEST_COLUMN_TEXT_1	SUGGEST_COLUMN_TEXT_1	490
SumPathEffect	SumPathEffect	689
SUPPLICANT_CONNECTION_CHANGE_ACTION	SUPPLICANT_CONNECTION_CHANGE_ACTION	617

- supports-screens
- <supports-screens>
- Surface
 - Live Wallpaper
 - video playback
 - Video View
- Surface
- Surface Holder
- Surface View
 - 3D
 - Media Player
- surfaceCreated
- SurfaceHolder
- SurfaceHolder.Callback
- SurfaceView
 - OpenGL
- sweep
- SweepGradient
- switchUI
 - BluetoothSocketListener

T

- TabActivity
- Table Layout
- Tablelayout
- tables, Content Providers
- TAG_*
- takePicture
- Talk, Google
- targetSDKVersion
- tel:
- telephony
 - Intent Filter
- Telephony Manager
- TelephonyManager.CALL_STATE_IDLE
- TelephonyManager.CALL_STATE_OFFHOOK
- TelephonyManager.CALL_STATE_RINGING
- temperature sensor
- testing
 - resolution
 - screen size
 - skins
- text messages
- Text To Speech(TTS)
- TextView
 - android:ID
 - animations
 - Button

- supports-screens 77
- <supports-screens> 167
- 서피스
 - 라이브 월 페이퍼 497
 - 비디오 재생 506-510
 - 비디오 뷰 506
- Surface 516
- 서피스 홀더 507-509
- 서피스 뷰 703-707
- 3D 706-707
- 미디어 플레이어 508-510
- surfaceCreated 508
- SurfaceHolder 507, 704
- SurfaceHolder.Callback 516, 523
- SurfaceView 140, 516, 704-707
- OpenGL 706-707
- sweep 159
- SweepGradient 685
- switchUI 602, 607-608
- BluetoothSocketListener 609

- TabActivity 119
- 테이블 레이아웃 127
- Tablelayout 127
- 테이블, 콘텐츠 프로바이더 300
- TAG_* 526
- takePicture 524
- 톡, 구글 8
- targetSDKVersion 75
- tel: 539
- 전화통신 538-549
 - 인텐트 필터 539
- 전화통신 매니저 541
- TelephonyManager.CALL_STATE_IDLE 546
- TelephonyManager.CALL_STATE_OFFHOOK 546
- TelephonyManager.CALL_STATE_RINGING 546
- 온도 센서 625, 629
- 테스팅
 - 해상도 170-172
 - 화면 크기 170-172
 - 스킨 170-172
- 텍스트 메시지 551-552
- 텍스트 음성 변환(TTS) 655-658
- TextView 110, 124, 125, 131-132, 154
 - android:ID 349
 - 애니메이션 671
 - Button 130



ContentPickerTest	ContentPickerTest	212
Linkify	Linkify	218
MapView	MapView	387
Toasts	토스트	424
Widgets	위젯	457
themes	테마	90-91
styles	스타일	101
thickness	thickness	157
thicknessRatio	thicknessRatio	157
Thread	Thread	396
Threads, Handler	스레드, Handler	416, 443
3D, Surface View	3D, 서피스 뷰	706-707
3G	3G	8
thumbnails	썸네일	518
TileMode	TileMode	687-688
TimePickerDialog	TimePickerDialog	243
Timers, Handler	타이머, Handler	443
timestamp	timestamp	627
T-Mobile	T-모바일	13
Toast	Toast	423
Toasts	토스트	396, 423-426
CompassView	CompassView	424
TextView	TextView	424
Wi-Fi	Wi-Fi	619
worker threads	작업자 스레드	426
toDegrees	toDegrees	161
toPixel	toPixel	374
toString	toString	228, 246
touch screens	터치스크린	708-711
touchscreen	touchscreen	104
Touchscreen Type	터치스크린 타입	102
Traceview	Traceview	63
trackballs	트랙볼	714
Transform Filter	변형 필터	220
transformative Drawables	트랜스포머티브 드로어블	161-162
TransformFilter	TransformFilter	220
transformUrl	transformUrl	220
translate	translate	92-93
translucency	투명도	684
TTS. See Text To Speech	TTS. 텍스트 음성 변환 참조	
tweened animations	트윈 애니메이션	92-94, 667-671
type	인텐트 타입	550
TYPE_ACCELEROMETER	TYPE_ACCELEROMETER	628
TYPE_GYROSCOPE	TYPE_GYROSCOPE	629
TYPE_LIGHT	TYPE_LIGHT	629
TYPE_MAGNETIC FIELD	TYPE_MAGNETIC FIELD	629
TYPE_ORIENTATION	TYPE_ORIENTATION	629
TYPE_PRESSURE	TYPE_PRESSURE	629

TYPE_PROXIMITY
TYPE_TEMPERATURE

U

UI. See user interfaces
UI Navigation Type
UIQ
universally unique identifier(UUID)
unregisterReceiver
UNSPECIFIED
update
 Content Providers
 Content Resolvers
 SQLiteDatabase
updateAppWidget
updateArray
updateFromPreferences
 onCreate
updateNetwork
updateOrientation
updatePeriodMillis
updates
updateUIFromPreferences
updateWithNewLocation
 getLastKnownLocation
 LocationListener
 Map Controller
URI Matcher
UriMatcher
user experience(UX)
user interaction events
user interfaces(UI)
 animations
 Remote Views
 saving state
 Widgets
userDictionary
uses-configuration
uses-feature
⟨uses-features⟩
uses-library
uses-permission
 INTERNET
 Location Manager
 Media Recorder
 vibrate
⟨uses-permission⟩
 application

TYPE_PROXIMITY 629
TYPE_TEMPERATURE 629

UI, 사용자 인터페이스 참조
UI 네비게이션 타입 102
UIQ 5
Universally Unique Identifier(UUID) 592
unregisterReceiver 225
UNSPECIFIED 145
update
 콘텐츠 프로바이더 312
 콘텐츠 리졸버 319-320
 SQLiteDatabase 302
updateAppWidget 463
updateArray 309
updateFromPreferences 271, 272
 onCreate 272
updateNetwork 620
updateOrientation 644, 645
updatePeriodMillis 459
업데이트 48
updateUIFromPreferences 267, 573
updateWithNewLocation
 getLastKnownLocation 349
 LocationListener 353
 맵 컨트롤러 371
URI 매처 313, 490
UriMatcher 313, 324
사용자 경험(UX) 122
사용자 상호작용 이벤트 146-147
사용자 인터페이스(UI) 121-191, 666-716
 애니메이션 666-702
 리모트 뷰 465
 상태 저장 260
 위젯 456
UserDictionary 331
uses-configuration 75
uses-feature 77
⟨uses-features⟩ 79
uses-library 364
uses-permission 79, 211, 248
 INTERNET 237
 위치 매니저 347
 미디어 레코더 513
 vibrate 440
⟨uses-permission⟩
 애플리케이션 368



INTERNET
 SMS
 uses-permissions
 uses-sdk
 <uses-sdk>
 UX. See user experience

INTERNET 365
 SMS 555
 uses-permissions 616
 uses-sdk 75
 <uses-sdk> 80
 UX, 사용자 경험 참조

V

value
 values
 versionCode
 versionName
 VIBRATE
 vibrate
 Emulator
 Notification
 uses-permission
 vibration
 controlling
 Notification
 Vibrator
 video
 Intent
 playback
 previewing
 recording
 Video View
 VideoView
 View(s)
 animation
 custom
 layouts
 Map View
 RemoteViews
 View Groups
 ViewFlipper
 ViewGroup
 scheduleLayoutAnimation
 views
 virtual machine(VM)
 Java
 Virtual Machine Manager
 visible lifetime
 visible processes
 VM. See virtual machine
 voice over IP(VOIP)
 VOIP. See voice over IP

value 488
 values 39, 87-90, 626
 versionCode 74
 versionName 74
 VIBRATE 647
 vibrate 647
 에뮬레이터 440
 알림 439
 uses-permission 440
 vibration
 제어 647
 알림 439
 Vibrator 647
 비디오 502-517
 인텐트 512-513
 재생 506-510
 미리 보기 516-517
 레코딩 511-517
 비디오 뷰 506-507
 VideoView 506
 뷰(들) 23, 38
 애니메이션 672-674
 커스텀 140-154
 레이아웃 129
 맵 뷰 385-386
 RemoteViews 460
 뷰 그룹 110, 122, 123
 ViewFlipper 126
 ViewGroup 123
 scheduleLayoutAnimation 680
 뷰 123-126
 가상 머신(VM) 20-22
 자바 71
 가상 머신 매니저 36
 가시 수명 117
 화면에 보이는 프로세스 85
 VM, 가상 머신 참조
 Voice Over IP(VOIP) 540
 VOIP, Voice Over IP 참조

W	Wake Locks	웨이크 락	511, 653-655
	acquire	acquire	654
	WakeLocks	WakeLocks	653-655
	⟨wallpaper⟩	⟨wallpaper⟩	497
	Wallpaper Search Engine	월 페이퍼 검색 엔진	498-500
	Wallpaper Service	월 페이퍼 서비스	498-500
	WallpaperService	WallpaperService	498-500
	WallpaperService.Engine	WallpaperService.Engine	499
	Web Services, Amazon	웹 서비스, 아마존	666
	WebKit	WebKit	6
	WEB_URLS	WEB_URLS	218
	WHITE_BALANCE_*	WHITE_BALANCE_*	521
	Widgets	위젯	9, 12, 17, 41, 43, 73, 123, 125-126, 454-479
	Activities	액티비티	471-472
	Alarms	알람	467-471
	click listener	클릭 리스너	466
	Intent Filter	인텐트 필터	460, 468-469
	Intent Receiver	브로드캐스트 리시버	460, 468-469
	interactivity	상호작용	465-467
	layouts	레이아웃	456-459
	minimum update rate	최소 업데이트 주기	467-468
	NinePatch	나인패치	457
	PNG	PNG	457
	refreshing	갱신	467-471
	settings	설정	459
	UI	UI	456
	widthMeasureSpec	widthMeasureSpec	144
	Wi-Fi	Wi-Fi	8, 239, 614-620
	hotspots	핫스팟	618-619
	Toasts	토스트	618
	Wi-Fi Connectivity Service	Wi-Fi 연결 매니저	615-620
	Wi-Fi Manager	Wi-Fi 매니저	615-620
	uses-permissions	uses-permissions	616
	WifiConfiguration	WifiConfiguration	619-620
	WifiManager	WifiManager	615-620
	WIFI_STATE_CHANGED_ACTION	WIFI_STATE_CHANGED_ACTION	617
	Window Manager	윈도우 매니저	52
	Windows	윈도우	27
	Windows Mobile	윈도우 모바일	4
	worker threads	작업자 스레드	426
	WQVGA432, skins	WQVGA432, 스킨	171
	wrap_content	wrap_content	128, 168
	WRITE_CONTACTS	WRITE_CONTACTS	338
	writePermission	writePermission	653
	WVGA	WVGA	46, 165
	skins	스킨	171



X

Xfermode
 XML
 App Widget
 Drawables
 layouts
 Linkify
 Live Wallpaper
 menus
 .xml
 xmlns:android
 XMLPullParser
 Xperia X10

Y

Yahoo! Pipes
 YouTube

Z

zoom, MapView
 zoomIn
 zoomOut

Xfermode 690
 XML
 앱 위젯 458-459
 드로어블 155-156
 레이아웃 127-129
 Linkify 219
 라이브 월 페이퍼 497
 메뉴 182-184
 .xml 94
 xmlns:android 74
 XMLPullParser 238, 249
 Xperia X10 165

야후! 파이프 665
 유튜브 8

확대, MapView 367-368
 zoomIn 368
 zoomOut 368