THE MATHEMATICAL ASSOCIATION OF AMERICA
AMERICAN MATHEMATICS COMPETITIONS

25th Annual

AMERICAN INVITATIONAL MATHEMATICS EXAMINATION

(AIME I)

Tuesday, March 13, 2007

1. DO NOT OPEN THIS BOOKLET UNTIL YOUR PROCTOR GIVES THE SIGNAL TO BEGIN.

2. This is a 15-question, 3-hour examination. All answers are integers ranging from 000 to 999, inclusive. Your score will be the number of correct answers; i.e., there is neither partial credit nor a penalty for wrong answers.

3. No aids other than scratch paper, graph paper, ruler, compass, and protractor are permitted. In particular, **calculators and computers are not permitted.**

4. A combination of the AIME and the American Mathematics Contest 10 or the American Mathematics Contest 12 scores are used to determine eligibility for participation in the U.S.A. Mathematical Olympiad (USAMO). The USAMO will be given in your school on TUESDAY and WEDNESDAY, April 24-25, 2007.

5. Record all of your answers, and certain other information, on the AIME answer form. Only the answer form will be collected from you.

1. How many positive perfect squares less than 10^6 are multiples of 24?

2. A 100 foot long moving walkway moves at a constant rate of 6 feet per second. Al steps onto the start of the walkway and stands. Bob steps onto the start of the walkway two seconds later and strolls forward along the walkway at a constant rate of 4 feet per second. Two seconds after that, Cy reaches the start of the walkway and walks briskly forward beside the walkway at a constant rate of 8 feet per second. At a certain time, one of these three persons is exactly halfway between the other two. At that time, find the distance in feet between the start of the walkway and the middle person.

3. The complex number z is equal to $9 + bi$, where b is a positive real number and $i^2 = -1$. Given that the imaginary parts of z^2 and z^3 are equal, find b.

4. Three planets revolve about a star in coplanar circular orbits with the star at the center. All planets revolve in the same direction, each at a constant speed, and the periods of their orbits are 60, 84, and 140 years. The positions of the star and all three planets are currently collinear. They will next be collinear after n years. Find n.

5. The formula for converting a Fahrenheit temperature F to the corresponding Celsius temperature C is $C = \frac{5}{9}(F - 32)$. An integer Fahrenheit temperature is converted to Celsius and rounded to the nearest integer; the resulting integer Celsius temperature is converted back to Fahrenheit and rounded to the nearest integer. For how many integer Fahrenheit temperatures T with $32 \leq T \leq 1000$ does the original temperature equal the final temperature?

6. A frog is placed at the origin on the number line, and moves according to the following rule: in a given move, the frog advances to either the closest point with a greater integer coordinate that is a multiple of 3, or to the closest point with a greater integer coordinate that is a multiple of 13. A *move sequence* is a sequence of coordinates which correspond to valid moves, beginning with 0, and ending with 39. For example, 0, 3, 6, 13, 15, 26, 39 is a move sequence. How many move sequences are possible for the frog?

7. Let

$$N = \sum_{k=1}^{1000} k(\lceil \log_{\sqrt{2}} k \rceil - \lfloor \log_{\sqrt{2}} k \rfloor).$$

Find the remainder when N is divided by 1000. (Here $\lfloor x \rfloor$ denotes the greatest integer that is less than or equal to x, and $\lceil x \rceil$ denotes the least integer that is greater than or equal to x.)

8. The polynomial $P(x)$ is cubic. What is the largest value of k for which the polynomials $Q_1(x) = x^2 + (k-29)x - k$ and $Q_2(x) = 2x^2 + (2k-43)x + k$ are both factors of $P(x)$?

9. In right triangle ABC with right angle C, $CA = 30$ and $CB = 16$. Its legs $\overline{CA}$ and $\overline{CB}$ are extended beyond A and B. Points O_1 and O_2 lie in the exterior of the triangle and are the centers of two circles with equal radii. The circle with center O_1 is tangent to the hypotenuse and to the extension of leg CA, the circle with center O_2 is tangent to the hypotenuse and to the extension of leg CB, and the circles are externally tangent to each other. The length of the radius of either circle can be expressed as p/q, where p and q are relatively prime positive integers. Find $p + q$.

10. In the 6×4 grid shown, 12 of the 24 squares are to be shaded so that there are two shaded squares in each row and three shaded squares in each column. Let N be the number of shadings with this property. Find the remainder when N is divided by 1000.



11. For each positive integer p, let $b(p)$ denote the unique positive integer k such that $|k - \sqrt{p}| < \frac{1}{2}$. For example, $b(6) = 2$ and $b(23) = 5$. If $S = \sum_{p=1}^{2007} b(p)$, find the remainder when S is divided by 1000.

12. In isosceles triangle ABC, A is located at the origin and B is located at $(20, 0)$. Point C is in the first quadrant with $AC = BC$ and $\angle BAC = 75^\circ$. If $\triangle ABC$ is rotated counterclockwise about point A until the image of C lies on the positive y-axis, the area of the region common to the original triangle and the rotated triangle is in the form $p\sqrt{2} + q\sqrt{3} + r\sqrt{6} + s$ where p, q, r, s are integers. Find $(p - q + r - s)/2$.

13. A square pyramid with base $ABCD$ and vertex E has eight edges of length 4. A plane passes through the midpoints of $\overline{AE}$, $\overline{BC}$, and $\overline{CD}$. The plane's intersection with the pyramid has an area that can be expressed as $\sqrt{p}$. Find p.

14. Let a sequence be defined as follows: $a_1 = 3$, $a_2 = 3$, and for $n \geq 2$, $a_{n+1}a_{n-1} = a_n^2 + 2007$. Find the largest integer less than or equal to $\dfrac{a_{2007}^2 + a_{2006}^2}{a_{2007}a_{2006}}$.

15. Let ABC be an equilateral triangle, and let D and F be points on sides BC and AB, respectively, with $FA = 5$ and $CD = 2$. Point E lies on side CA such that $\angle DEF = 60^\circ$. The area of triangle DEF is $14\sqrt{3}$. The two possible values of the length of side AB are $p \pm q\sqrt{r}$, where p and q are rational, and r is an integer not divisible by the square of a prime. Find r.

Your Exam Manager will receive a copy of the 2007 AIME Solution Pamphlet with the scores.

CONTACT US -- *Correspondence about the problems and solutions for this AIME and orders for any of our publications should be addressed to:*

American Mathematics Competitions
University of Nebraska, P.O. Box 81606
Lincoln, NE 68501-1606
Phone: 402-472-2257; Fax: 402-472-6087; email: amcinfo@maa.org

The problems and solutions for this AIME were prepared by the MAA's Committee on the AIME under the direction of:

Steve Blasberg, AIME Chair
San Jose, CA 95129 USA

2007 USAMO -- THE USA MATHEMATICAL OLYMPIAD (USAMO) is a 6-question, 9-hour, essay-type examination. The USAMO will be held in your school on Tuesday, April 24th & Wednesday, April 25th. Your teacher has more details on who qualifies for the USAMO in the AMC 10/12 and AIME Teachers' Manuals. The best way to prepare for the USAMO is to study previous years of these exams, the World Olympiad Problems/Solutions and review the contents of the Arbelos. Copies may be ordered from the web sites indicated below.

PUBLICATIONS -- For a complete listing of available publications please visit the following web sites:

AMC - - http://www.unl.edu/amc/d-publication/publication.html
MAA -- https://enterprise.maa.org/ecomtpro/timssnet/common/tnt_frontpage.cfm