

공인네트워크관리사

<http://cafe.daum.net/icqanetworker> []

▶ 4

2

[1]

PC
 Windows 98 Second Edition ICS()
 , Windows 98 Second Edition PC PC
 UTP Cable . (Windows 98 Second Edition PC 가
 , PC 가 .)


()	()	
RJ - 45 Connector UTP Cable	Cable [] 2 PC-PC RJ-45 가	1. RJ-45 2 2. UTP Cable 3. Tool

[2]

Windows NT Windows 98 OS 가 Hub

(Windows NT LAN C: \ DRV .)

()	()	
<p>Windows NT TCP/IP</p> <p>IP : 192.168.1.1</p> <p>Subnet Mask: 255.255.255.0</p> <p>DNS :</p> <p>GW :</p> <p>DOMAIN : TEST1</p> <p> : WINNT</p> <p>Windows 98 TCP/IP</p> <p>IP : 192.168.1.100</p> <p>Subnet Mask: 255.255.255.0</p> <p>DNS :</p> <p>GW :</p> <p>DOMAIN : TEST1</p> <p> : WIN98</p>	<p>- Windows98 "Ping 192.168.1.1"</p> <p>[]</p> <p>Ping 가 IP</p> <p>가 . 가 가</p> <p>가</p> <p>가</p> <p>c: \ >ping 127.0.0.1</p> <p>가 가</p> <p>2000</p> <p>PNP</p> <p>TCP/IP</p> <p>98 98</p> <p>가</p> <p>Ping 98 NT</p> <p>C: \ >ping 192.168.1.1</p> <p>Pinging 192.168.1.1 with 32 bytes of data:</p> <p>Reply from 192.168.0.1: bytes=32 time<10ms</p>	

<p>- Windows NT</p> <p>- C: \ 'ICQA' 가</p> <p>'icqa'</p>	 <p>[]</p> <p>/ / / /icqa</p> <p>c: \ icqa / /</p> <p>/ / everyone</p> <p>가 icqa 가</p>	
--	---	--

[4] Windows NT (PDC) .

'TEST' , 가 NT 가

.(,)

()	()	
-----	-----	--

<p>- Windows NT</p> <p>- 'TEST'</p>	<p>- 'TEST' NT 가 .</p> <p>[]</p> <p>/ / / /test</p> <p>/ / / /</p> <p>test 가</p>	
-------------------------------------	---	--


[5] [] .


[A] IP Subnet Mask [] .

) IP : 000.000.000.000 - 000.000.000.000

Subnet Mask : 000.000.000.000

<p>()</p>	<p>()</p>	
<p>[]</p> <p>192.168.31.31 (네트워크 C) 192.168.31.95</p>	<p>IP : 192.168.31.1 192.168.31.30</p>	



	 : . , 가 .
	: . , 가 가 .