

공인네트워크관리사

<http://cafe.daum.net/icqanetworker> [

]

▶7

2

[1]

CROSS LINK

(, EIA 568A)

()	()	
	[] 가 EIA568A EIA568B	RJ-45 2 UTP LAN Tool

[2]

Windows NT 4.0

, Windows 98

가

DHCP

IP

TCP/IP		
<p>Windows NT</p> <p>TCP/IP</p> <p>IP : 192.168.1.1 / Subnet Mask : 255.255.255.0</p> <p>DOMAIN : DOMAIN , : WINNT1</p> <p>Windows 98 TCP/IP</p> <p>IP : 192.168.1.2 / Subnet Mask : 255.255.255.0</p> <p> : DOMAIN, : WORK01</p>	<p>Windows 98</p> <p>ping 192.168.1.1</p> <p>PING TEST</p>	<p>v</p> <p>AN Drive</p> <p>c: \ drv</p> <p>WINNT</p> <p>c: \ i386</p>

[]		
<p>2000 LAN (pnp .)</p> <p>TCP/IP IP 192.168.1.1 255.255.255.0 .(</p> <p>2000 .)</p> <p>98 IP , IP 192.168.1.2 255.255.255.0</p> <p>98 ping 192.168.1.1 가</p>		

[3]

가

()	()	
	<ul style="list-style-type: none">가	

[]
가 > > > 가

[4]

3

DB

ARBI

1. 1111	
2. 가 work01, work02 . (2000 .)	
3. 2001 7 30	

ARC

[operating systems]

multi(0)disk(0)rdisk(0)partition(1) \ WINNT="Microsoft Windows 2000 Professional" /fastdetect

가 . 가 . 9X 2 가 .
9X .

1) multi(0)

multi(0), scsi(0) .
multi(0) . multi(0) BIOS 가 .
multi(0) , 가 .
가 2 scsi(1) .
multi(0) .

2) disk(0)

EIDE SCSI .
ID 가 ,EIDE / , / 가 .
가 Multi(0) disk(0) .
..

3) rdisk(0)

LUN . NT 가 .
LUN 0-7 8 , 16
. , LUN .

4) Partition(1)

NT 가 .
0 1 .

ex) 1 = C , 2 = D, 3 = E, 4 = F

- 'multi(0)disk(0)rdisk(0)partition(1)'

:
: ARC (Advanced RISC Computing) path ..

disk() : (0)

partition() : .(1) .

, (C: .) 2000

multi rdisk 가 E-IDE SCSI . (

```

SCSI scsi() rdisk() )
, multi 0 disk 0 .
0 3 가 2 3 rdisk(0) (1)

```

[6] NT C 가 FAT16 NTFS

()	()	
C:\가 FAT16	C:\ NTFS	

[]

```

CONVERT c:/FS:NTFS CONVERT C:/FS:NTFS /V

```

[7] SQL (MS-SQL 7.0)

1. SELECT NULLIF (4,4) 2. SELECT NULLIF (4,5) 3. SELECT COALESCE (NULL, 7, 9) null, 4, 7 . icqa sql	
--	--

1.	Null
2.	4
3.	7