

## FTP

```
<ftp >
ftp (IP 21)
(webuser) ( , , )
( ..., ) ... C:\, ... )
( )
```

<test>

```
C:\> cmd
C:\> cd
C:\> ftp 211.254.138.171
```

C:\> cd

C:\> ftp 211.254.138.171

Connected to 211.254.138.171.

220 H171 Microsoft FTP Service (Version 5.0).

User (211.254.138.171:(none)): anonymous

331 Anonymous access allowed, send identity (e - mail name) as password.

Password: ( :a@a.com ..... )

230 - ^o^! ~!

230 Anonymous user logged in.

ftp> ? ( => )

Commands may be abbreviated. Commands are:

!	delete	literal	prompt	send
?	debug	ls	put	status
append	dir	mdelete	pwd	trace
ascii	disconnect	mdir	quit	type
bell	get	mget	quote	user
binary	glob	mkdir	recv	verbose
bye	hash	mls	remotehelp	
cd	help	mput	rename	
close	lcd	open	rmdir	

ftp> pwd (ftp 가...)

257 "/" is current directory.

ftp> dir ( ls)

200 PORT command successful.

150 Opening ASCII mode data connection for /bin/ls.

03 - 17 - 05 04:57PM <DIR>

03 - 17 - 05 03:40PM 1758 .pfx

```

03 - 23 - 05 09:38AM <DIR>
03 - 17 - 05 12:22PM <DIR>
03 - 17 - 05 03:35PM <DIR> 2
03 - 23 - 05 09:33AM <DIR>
03 - 17 - 05 09:19PM 1774 .pfx
03 - 18 - 05 10:43AM <DIR> 1
03 - 18 - 05 10:44AM <DIR> 2
03 - 17 - 05 03:50PM 1774 .pfx
03 - 17 - 05 03:26PM <DIR>
03 - 21 - 05 02:37PM <DIR> Documents and Settings
03 - 22 - 05 10:11AM <DIR> homepage1
03 - 22 - 05 10:03AM <DIR> homepage2
03 - 22 - 05 10:06AM <DIR> homepage3
10 - 12 - 04 09:01AM <DIR> Inetpub
03 - 14 - 05 04:37PM <DIR> nathomepage
03 - 21 - 05 02:37PM <DIR> Program Files
03 - 18 - 05 12:43PM <DIR> utility2
03 - 21 - 05 10:28AM <DIR> WINNT
10 - 12 - 04 10:19AM <DIR> WUTemp

```

226 Transfer complete.

ftp: 1071 bytes received in 0.02Seconds 66.94Kbytes/sec.

ftp> cd

250 CWD command successful.

ftp> pwd

257 "/" is current directory.

ftp> lcd ( ..... )

Local directory now C:\# .

ftp> ! ( )

Microsoft Windows 2000 [Version 5.00.2195]

(C) Copyright 1985 - 2000 Microsoft Corp.

C:\# >

C:\# >exit ( ftp )

ftp> dir

200 PORT command successful.

150 Opening ASCII mode data connection for /bin/ls.

```

01 - 10 - 00 09:00PM 26680 .bmp
01 - 10 - 00 09:00PM 17362 .bmp
01 - 10 - 00 09:00PM 9522 .bmp
10 - 12 - 04 10:00AM 19816 Active Setup Log.txt

```

03 - 16 - 05 12:43PM

54697 certocm.log

226 Transfer complete.

ftp: 268 bytes received in 0.00Seconds 268000.00Kbytes/sec.

\*2 (bmp) (bin) / 가 가

ftp> ascii (ascii 가 ...2 (bmp) / 가 )

200 Type set to A.

ftp> bin (bin , bmp 가 .....2 가 )

200 Type set to I.

ftp> get .bmp (get )  
( " .bmp")

200 PORT command successful.

150 Opening BINARY mode data connection for .bmp(26680 bytes).

226 Transfer complete.

ftp: 26680 bytes received in 0.00Seconds 26680000.00Kbytes/sec.

ftp> mget \*.bmp (bmp )

200 Type set to I.

mget .bmp? n ( n)

mget .bmp? y

200 PORT command successful.

150 Opening BINARY mode data connection for .bmp(17362 bytes).

226 Transfer complete.

ftp: 17362 bytes received in 0.00Seconds 17362000.00Kbytes/sec.

mget .bmp? y

200 PORT command successful.

150 Opening BINARY mode data connection for .bmp(9522 bytes).

226 Transfer complete.

ftp: 9522 bytes received in 0.00Seconds 9522000.00Kbytes/sec.

ftp> mkdir H (ftp => 가 )

550 H: Access is denied.

(test) IIS

ftp

c:\w 172

(ntfs ...everyone ...administrators 가(DC sky.local ,

h172 .. )

(ftpuser, kh123\$)

172 ftpuser 가( , ,

)

```
C:\# > ftp 211.254.138.171
Connected to 211.254.138.171.
220 H171 Microsoft FTP Service (Version 5.0).
User (211.254.138.171:(none)):
331 Password required for .
Password:
230 - ^o^! ~!
230 User logged in.
ftp> cd 171
250 CWD command successful.
ftp> mkdir h
550 h: Access is denied.
ftp> rm .bmp
550 .bmp: The directory name is invalid.
```

( )

```
c:\# .doc
C:\# > ftp 211.254.138.171
Connected to 211.254.138.171.
220 H171 Microsoft FTP Service (Version 5.0).
User (211.254.138.171:(none)):
331 Password required for .
Password:
230 - ^o^! ~!
230 User logged in.
ftp> cd h
250 CWD command successful.
ftp> pwd
257 "/" h" is current directory.
ftp> bin
200 Type set to I.
ftp> put .doc
200 PORT command successful.
150 Opening BINARY mode data connection for .doc.
226 Transfer complete.
ftp: 24064 bytes sent in 0.00Seconds 24064000.00Kbytes/sec.
```

=> FTP  
...)

NTFS

가 가 (

FTP

d:₩

...

= > ftpuser 20MB.. 17MB - > d - > 20MB

FTP

d

ftpuser 가

< 1 huser1 >

huser1,2,3(123)

d:₩ ₩huser1...3

IIS ftp ( 가 )

ftp ( huser1)

(c:₩ ₩huser1)

, .....huser2, huser3 가

C:₩ > ftp 211.254.138.172

Connected to 211.254.138.172.

220 H172 Microsoft FTP Service (Version 5.0).

User (211.254.138.172:(none)): huser1

331 Password required for huser1.

Password:

230 - ~!

230 User huser1 logged in.

ftp> pwd

257 "/huser1" is current directory.

ftp> put .bmp

200 PORT command successful.

150 Opening ASCII mode data connection for .bmp.

226 Transfer complete.

ftp: 16730 bytes sent in 0.00Seconds 16730000.00Kbytes/sec.

ftp> mkdir img

257 "img" directory created.

IIS 1 가 huser1...3

( 1 (default.htm) 가 )

default.htm c:₩ ftp huser1

default.htm IIS huser1

default.htm (http://www.apple.local₩huser1₩)

< ; , >  
IIS ( IP ) \_\_\_\_\_.  
< >  
\_\_\_\_\_.

;workgroup 가  
[ 가DC]  
IIS SMTP NNTP가 CD  
CD DNS( 가DC ...) sky.local  
(default [jslover78@sky.local](mailto:jslover78@sky.local), mail [jslover78@mail.sky.local](mailto:jslover78@mail.sky.local))  
( ..h171 )