






5. Linux Directory



A. Linux file structure






5. Linux Directory



A. Linux file structure

❖ / (root)



❖ (ex : #mount /mnt/cdrom/)

❖ /bin

❖ 가




5. Linux Directory



A. Linux file structure

❖ boot





5. Linux Directory



A. Linux file structure

❖ /dev



.
가
,

❖ /etc



application

. ,

❖ /home



가

. (ftp, mysql, tomcat
)



5. Linux Directory



A. Linux file structure

❖ /lib



./lib

.

❖ /lost+found



fsck(File System Check)

가

가

.

lost+found

.



lost+found

가

.(
.)



5. Linux Directory



A. Linux file structure

❖ /misc

❖

.

❖ /mnt

❖ CD-ROM

CD-ROM

.

❖ Example :#mount /mnt/cdrom (CD-ROM)
#mount /mnt/floppy ()

❖ /opt

❖ add-on

가

가

.(

.)



5. Linux Directory



A. Linux file structure

❖ /proc



PID

가
/proc



,



/proc

echo

sysctl

cat

more



5. Linux Directory



A. Linux file structure

❖ /usr



가 , GNU info , , , , C . X

❖ /var



(log), / 가 가 . (spool),
 (apache) (/var/www), MySQL ,
 FTP , /var .