


Bibleworks7.0 Workshop




1. 가

2
,
2
가
가
()
가
가
가



목차:

1. 가	1
2.	2
3. ,	4
4.	5
5.	6
6. ,	7
7.	7
8.	9
9. 가	11
10.	11
11.	12
12.	12
13.	13

2. (User Interface)



Search window



3.


가 가



-- Search Window Command Line -

- Search Window Command Line 가
- 1 가 가

- , , :가 () , Command Line



-Browse Window
BrowserWindow

.....

Command Line 단축키

- <Esc> command line의 내용을 지운다
- 상하 화살표 검색 결과 이동
- niv 검색역본을 NIV로 바꾼다
- d niv 검색역본은 바꾸지 않은 채로 화면에 NIV역본을 표시(d: display)
- d -niv niv역본을 화면표시에서 제외
- d c "display clear" 검색역본을 제외한 모든 역본을 화면 표시에서 제외시킨다
- d greek 모든 헬라이어 역본을 화면에 표시한다.
- d fav 즐겨보기(favorite) 메뉴에 있는 "fav"라는 이름의 보기 세트를 실행시킨다.
- p kjv gnt niv KJV, GNT, NIV 를 역본 대조해서 본다.
- l joh 검색의 범위를 요한복음으로만 제한.
- l aramaic 검색의 범위를 성경의 아람어 본문으로만 제한시킨다
- l 모든 검색 제한을 풀어버린다.
- o fav 화면 표시 순서를 미리 설정해 놓은 "fav"라는 순서대로 표시한다

- 장절만 입력(예 3:16) 현재 성경권의 해당 장절로 이동
- 절만 입력 현재 성경 장에서 해당 절로 이동

.....

Browse Window 단축키

- 상하 화살표 성경본문을 스크롤(Ctrl-Shift+위화살표 입력하면 이 기능이 활성화 된다)
- A 히브리어 악센트 표시(토글)
- B 브라우저 모드, 읽기와 구절 대조(토글)
- C 해당 위치의 마우스 검색기능 활성화
- D 해당 위치의 마우스 더블클릭과 동일
- N 버전 노트 켜고 끄기(토글)
- R 스트롱코드 켜고 끄기(토글)
- S 체크된 Browse Window 동기화
- T Analysis Window 켜고, 끄기(토글)
- V 간단한 역본 목록 열기
- W 새로운 Browse Window를 열거나 현재 열려있는 Browse Window 중 하나로 이동



.....


Function Key:

- F1 커서 위치에 해당하는 온라인 도움말 열기
- F2 또는 Esc 커서를 Command Line로 이동
- F3 커서를 마지막으로 활성화된 Edit Window로 이동
- F4 Browse Window를 Clipboard/Editor로 복사
- F5 커서를 Command Center Verse List로 이동
- F6 커서를 Browse Window로 이동
- F7 Verse List Manager 열기
- F8 Word List Manager 열기
- F9 Graphical Search Engine 열기

다른 프로그램도 마찬가지이겠지만, 가장 빠르게 프로그램에 익숙해지는 길은 단축키를 익히는 것입니다. 한참 아이콘을 눌러야 해결되는 명령이 단축키 하나로 해결될 수 있습니다.



4.



Browse window

(Advanced Search Engine)
(GSE, Graphical

Search Engine)

1. Browse Window

“c”

2. 가

“d”

3.

Browse

Lemma

Bibleworks 7.0

Resources>Edit External Links

Ιυβιј

lemma Ιυβιј가

가

Search on lemma

lookup lemma

6. ()

1. 가 (**m)
2. 가
3.) GNT logou GNM logoj@n-gm-s “@” 가
“#” Wildcard 가


2,3

가

이전 버전에서는 문법약어를 전부 외우지 않는 이상, Morphology Assistant를 사용해야 했지만, Bibleworks 7.0에서는 Command Line에 형태론 역본을 선택해서 입력을 하면, 자동으로 문법 코딩 입력을 도와줍니다. 그러나 정확한 문법 약어 입력을 위해서는 형태론 도우미(Morphology Assistant)를 사용하는 것이 좋습니다. 형태론 도우미는 α 아이콘을 클릭하여 실행됩니다.



대명사 접미등을 설정해야 하므로, 히브리어 형태론 검색이 더 복잡합니다.



앞에서도 언급하였듯이, 형태론의 범주가 옆의 2가지만 존재하는 것이 아닙니다. Help파일의본인이 원하는 문법 영역을 검색할 수 있도록 합니다.




7.

바이블웍스 상단 메뉴의 Search>Cross Version Search Mode를 선택하면, 한 번의 검색으로 여러 역본을 검색할 수 있습니다. 현재 선택된 검색 역본만, 현재 나타나는 역본 중 검색 역본과 동일한 언어들을 대상으로, 검색 역본과 동일한 언어의 역본 전부, 검색 역본과 동일한 언어의 성경 역본만 대상으로 하는 4가지 선택 사항을 사용하면 다양한 역본의 검색이 가능합니다.

- Search Only Current Search Version
- Search All Same Language Display Versions
- Search and Display All Same Language Versions
- Search and Prune All Same Language Versions

Search>Cross Version Search Mode를 실행하면 위의 팝업이 실행됩니다.



Window

Search>Detailed Statics

What to plot


가
가

Display Options

Editor

Export to

Copy Window



KWIC/Collocation Table

가

가

Tools>KWIC/Collocation

Table Module




Logos GNT

5

가

가



Parallel BHS and LXX



(BHS, Biblia Hebraica Stuttgartensia) (LXX)

히브리어 어휘가 헬라어로 어떻게 번역되었는지, 아니면 특정 헬라어 어휘에 해당하는 히브리어는 무엇이 있는지 자세히 살펴볼 수 있습니다.





Word List Manager/ Verse List Manager

Word List Manager Verse List Manger



Tools>Word List Manager, Tools>Verse List Manager

8. (GSE, Graphical Search Engine)

가 , 가 GSE
 가
 Bibleworks 4.0 (ASE, Advanced Search Engine)
 Command Line , F9
 GSE




Word Box는 해당 어휘를 역본과 표제어, 문법 사항을 정 해주고, 어휘의 목록을 불러올 수도 있습니다. 문장에서 몇 번째 나오는 어휘의 경우를 한정시켜 검색할 수 있는 등 다 양한 어휘의 설정이 가능합니다.



Merge Box
 and , or
 not , subquery
 ()
 가 ,

Agreement Box , , , , , ,
 box GNT
 Agreement Box .

- GSE



9.

Browse Window

Resources

8, 4

Lexicon

Edit>Search


가

LS

BDAG

UBS

가




- BDAG -


10.

바이블웍스 7.0에서 획기적인 기능으로 추가된 것 중의 하나가 지도검색입니다. GoogleEarth처럼 성경 지리를 위성사진으로 살펴볼 수 있습니다. 성경에 언급된 지명을 찾아볼 수 있으며, 해당 지역의 해발고도, 지역 사이의 거


리를 측정할 수 있으며, 물론 자신이 지명을 편지할 수도 있습니다. Resource>Maps로 가면 이러한 기능과 NET Bible이라는 지도를 볼 수 있으며, 아이콘을 통해서도 기능을 수행할 수 있습니다.



11.




또한 원어의 구문을 도해하는 모듈이 7.0에는 추가되어 있습니다. 기존에 작성된 도해를 불러올 수도 있고(신약은 거의 완성), 자신이 작성할 수동 있습니다. 아이콘을 클릭해서 실행할 수 있습니다.




또한 원어 단어 학습을 위한 모듈이 있습니다. 빈도수 별로, 또는 알파벳 순으로 학습할 수 있으며, 발음을 듣고 녹음도 가능합니다. 자신만의 어휘목록을 만들어 학습하는 것도 가능합니다.

아이콘을 클릭해서 실행할 수 있습니다.

12.




13.



- Report Generator
- Text Comparison Setting
- Color Selection
- Build Module Index
- Edit Greek Alias List
- Options
- Parallel Version Window
- Synopsis Window
- Keyboard
- Copy Center
- Export Database
- Version Database Compiler

Version Database Compiler



Raw Text File
1.DDF
Description
Version ID
()
, Install after
Compile
Compiling
가

.1

- ASV American Standard Version (1901)
 BBE The Bible in Basic English (1949/64)
 CSB Holman Christian Standard Bible
 CJB Complete Jewish Bible
 DBY The Darby Bible (1884/1890)
 DRA The Douay–Rheims 1899 American Edition
 ERV English Revised Version (1885)
 ESV The English Standard Version (2001)
 ETH The Etheridge NT English Peshitta (1849)
 GNV Geneva (1599)
 GWN God's Word to the Nations Translation
 JPS Jewish Publication Society OT (1917)
 KJA King James (1611) Apocrypha
 KJG King James Version with Geneva Notes
 KJV King James (1611/1769) with Codes
 LXE LXX English Translation (Brenton)
 LEW The Lewis NT English Peshitta (1896)
 MGI The Magiera NT English Peshitta (2006)
 MRD The Murdock NT English Peshitta (1851)
 NAB The New American Bible
 NAS New American Standard Bible (1977) with Codes
 NAU New American Standard Bible (1995) with Codes
 NET The Net Bible
 NIB New International Version (BR)
 NIV New International Version (1984) (US)
 NJB The New Jerusalem Bible
 NKJ New King James Version (1982)
 NLT New Living Translation
 NOR The Norton NT English Peshitta (1851)
 NRS New Revised Standard Version (1989)
 PNT Bishops' New Testament (1595)
 RSV Revised Standard Version (1952)
 RWB Revised Webster Update (1995) with Codes
 TNK Jewish Publication Society Tanakh (1985)
 TNT Tyndale New Testament (1534)
 WEB The Webster Bible (1833)
 YLT Young's Literal Translation (1862/1898)
- BHT BHT Transliterated Hebrew OT (2001)
 HNT Salkinson–Ginsburg Hebrew NT
 JDPHebrew Accent Extensions to WTM
 WTM Westminster Hebrew OT Morphology
 WTT BHS (4th ed) Hebrew Old Testament
- BGM BibleWorks LXX/BNT Morphology
 BGT BibleWorks Greek LXX/BNT
 BLM BibleWorks LXX Morphology
 BNM BibleWorks NT Morphology
 BNT BibleWorks NT (NA27)
 BYM Robinson–Pierpont Morphology
 BYZ Robinson–Pierpont Majority Text 1995
 GNM AGNT2 Friberg GNT Morphology
 GNT Friberg NT (UBS3/4)
 GOC eek orthodox Church NT
 LXX ptuaginta Rahlfs'
 MET taglottisis Modern Greek NT
 MGK Modern Greek Bible
 SCM Scrivener 1894 NT Morphology
 SCR Scrivener 1894 NT
 STE Stephanus (Robert Etienne's) 1550 NT
 STM Stephanus 1550 Morphology
 TIS Tischendorf NT 8th Edition
 TIM Tischendorf NT 8th Edition Morphology
 VST von Soden Greek New Testament
 WHO Westcott and Hort NT
 WHM Westcott and Wort Morphology
- VUL Latin Vulgate
 VUO Online Bible Vulgate Mapped to KJV
- Peshitta
 PEM Peshitta Morphology (Add on module)
 TAM Targumim (Aramaic OT) (Morphology)
 TAR Targumim (Aramaic OT) (Text)
 PEH Peshitta (with Hebrew letters)
- EIN Einheitsübersetzung (1980)
 ELB Revidierte Elberfelder (1993)
 ELO Unrevidierte Elberfelder (1905)
 HRD German Herder Version (2005)
 LUO Luther Bibel (1912) with Codes
 LUT Revidierte Lutherbibel (1984)
 L45 Luther 1545 German Bible

MNT Munchener NT (1998) with Codes
SCH German Schlachter Version (1951)

LEI Leidse Vertaling (1912/1994)
LUV Lutherse Vertaling (1750/1933/1994)
NBG The Netherlands Bible Society 1951
SVV Statenvertaling (1637) with Codes
W78 Willibrordvertaling modern Dutch translation (1978)
W95 Willibrordvertaling modern Dutch translation (1995)

AFR Afrikaans Bible (1953)

BFC French Bible en francais courant 1997
CRL Haitian Creole Bible
DRB French Version Darby (1885)
FBJ French Bible Jerusalem
LSG French Louis Segond (1910) with Codes
NEG Nouvelle Edition Geneve (Codes)(1979)
TOB French Traduction Oecumenique de la Bible 1988


WCS Westminster Confessional Standards
QSM / QST Qumran Sectarian Texts
JOE / JOS / JOM / JOL Works of Josephus (English, Greek,
Morphology, and Latin)
APE / APF / APL / APM Apostolic Fathers (English, Greek,
Latin, Morphology)
PHI / PHM Works of Philo (Greek, Morphology)
TAR / TAM Targumim (Aramaic, Morphology)

WCS contains the Westminster Confession of Faith and Catechisms. It is broken up into the "books" WCS (Shorter Catechism), WLC (Larger Catechism), and WCF (Confession of Faith). It is accessed like any of the Bible Versions except that the WCS and WLC do not have verse numbers (e.g. WCS 1 and WLC 4 but WCF 2.1).

()

APM/APF - Apostolic Fathers and BibleWorks Morphology
BNM/BNT - NA27 Greek New Testament and BibleWorks

Morphology
GNM/GNT - UBS4 Greek New Testament and Friberg
Morphology
BGM/BGT - Combined BLM/LXT and BNM/BNT
BLM/LXT - BibleWorks LXX Text and Morphology
SCM/SCR - Scrivener's Greek New Testament and
Morphology
TIM/TIS - Tischendorf's Greek New Testament and
Morphology
BYM/BYZ - Robinson-Pierpont Greek New Testament Text
and Morphology
WHO/WHM - This contains the Morphology for the
Westcott-Hort GNT
STM/STE - Stephanus Greek New Testament Text and
Morphology
VST - von Soden Greek New Testament Text (no
morphology yet)
WTM/WTT - BHS Hebrew Old Testament and Morphology
JOM/JOS - Works of Josephus
PHM/PHI - Works of Philo
TAM/TAR - Targumim (also see the Targum table above)



.2



This button will wrap and unwrap the button bar, either limiting the display to one row or showing all buttons in as many rows as necessary. If the screen is wide enough to display all of the buttons this will have no effect.



Opens the Button bar Configuration Window. This is a standard Operating System Window that allows you to add and remove buttons. The configuration window can also be opened by double-clicking on an empty space in the button bar.



This button opens the main BibleWorks Setup Window. This window is a tabbed window with each tab containing a different set of options and configuration settings. This is the primary location for BibleWorks configuration settings. The dropdown arrow on the right opens a menu with shortcuts so you can jump quickly to a particular tab.



This button opens up an instance of the BibleWorks editor in a separate floating window. The dropdown arrow on the right opens a menu which contains a list of the most recently opened editor files. Nothing will appear in this list until you have saved a file.



This button will change the color of the currently selected text in the Browse Window to the color shown on the button face. The dropdown arrow will open the Color Options window which permits you to change default colors and add coloring to search results.



This button opens the Text Comparison Window. This window permits you to set options which cause differences between texts in the Browse Window to be highlighted with specified colors.



This button opens the BibleWorks Diagramming Window. This window permits you to import BibleWorks Bible version texts and diagram them using standard diagramming "widgets". This window is also used to display diagrams from the New Testament Diagrams database.



This button will open the Tov-Polak Parallel BHS/LXX database. This database provides tools to study the textual relationships between the Greek and Hebrew Old Testaments.



This button opens the BibleWorks Flashcard Module. This is a tool which makes it easier to study and refresh your Greek and Hebrew vocabulary.



This button opens the BibleWorks Key Word in Context and Collocation Table module. This allows you to build KWIC lists and collocation tables for any of the versions in BibleWorks.



This button opens the Graphical Search Engine. This feature allows you to design text searches using an object oriented graphical design window.



This button opens up the BibleWorks Map module. This module contains Landsat and Shuttle Radar maps of the Holy Land and Egypt.



This button opens the Detailed Statistics Window. This window displays detailed statistics of the last Search Window search.



This button opens the Lexicon Browser Window. You can have multiple Lexicon Browser Windows open and the drop down arrow on the right opens a list of the windows that are currently open.



This button opens up a floating copy of the Resource Summary Window. The Resource Summary Window is also available on one of the tabs in the Analysis Window. This window displays links from the current verse to the various lexical and grammatical resources in BibleWorks.


















This button opens up the Version Database Compiler which permits you to compile your own Bible versions and incorporate them into BibleWorks.












This button opens the External Links Window. This permits you to design links between BibleWorks and external resources on the Internet or in other computer programs. The dropdown will list only the items that are identified in the Links Manager as being external links.













This button opens the BibleWorks Report Generator. The Report Generator enables you to generate a report on a range of verses including morphological and lexical information on all words in the verses.

-  This button opens a cloned-copy of BibleWorks. The cloned copy will duplicate most major settings in the parent BibleWorks window, but cloned copies maintain their own initialization file for basic configuration settings.
-  This button open the BibleWorks Synopsis Window. This window displays configurable synoptic views of the Gospels, and other sections of Scripture that can be arranged synoptically.
-  This button opens up the Parallel Versions Window. This option permits you to display multiple Bible versions in parallel columns. The dropdown button will display a list of currently open Parallel Versions Windows.
-  This button opens up the BibleWorks Wordlist Manager. This is a utility that permits you to manage lists of words generated from searches or verse ranges.
-  This button opens the BibleWorks Copy Center. This window provides a means for formatting and exporting text from a variety of places in BibleWorks.
-  This button opens up the BibleWorks Verse List Manager. This is a utility that permits you to manipulate lists of verses generated by BibleWorks.
-  This button opens the BibleWorks Keyboard Layout window. This permits you to specify which Windows keyboard will be used with the various versions in BibleWorks when searches are entered on the Command Line.
-  This button opens a new floating Browse Window. The dropdown will display a list of all open Browse Windows.
-  This button will synchronize all open Browse Windows.
-  This button will open a graphical display of the BibleWorks keyboard so you can see what characters will be produced by each key when text is entered in the Command Line.
-  This button will open a window which allows you to attach a popup Copy window to an external Word Processor. This provides an easy way to enter Biblical text into your Word Processor without leaving the Word Processor.
-  This button opens a window that permits you to export raw text from the various Bible versions in BibleWorks. This is intended primarily for exporting large sections of text.
-  This button will add the current Browse Window verse to the BibleWorks Verse List manager.
-  This option opens up a listbox that keeps a running list of verses that you visit. It automatically accumulates up to 1000 verses unless you uncheck the "auto" checkbox above the list.
-  This option opens up a listbox that keeps a running list words that you look up on the Command Line. It automatically accumulates up to 1000 words unless you uncheck the "auto" checkbox above the list.

The following buttons are not on the Button Bar in the default BibleWorks configuration. We have made a concerted effort to clean up the interface and make it less intimidating to the new user. Most of these buttons will not be used by most people, since all of these features can be accessed from elsewhere in the program, but we provide them for old users who have grown accustomed to seeing them around. To add one or more of these buttons see the section below on [Configuring the Button Bar](#).


-  This option will transfer the text of the verses resulting from the last search to the BibleWorks editor.
-  This option will switch the Browse Window between Multiple-Version Mode and Single Version Browse Mode.
-  This button will toggle Strong's Number on and off in the Browse Window.
-  This option will open up the Timeline Module.
-  This option will open the Treasury of Scripture Knowledge module.
-  This option will open up the Robertson's Word Pictures module.
-  This option will open the Nave's Topical Bible module.
-  This option will open up a Window that allows you to define Search and Display Version Favorites.
-  This option will open a Window that permits you to choose a search version.


-  This option will open up a window that permits you to set the Version Display Order for the Browse Window.
-  This option opens up a window that allows you to set Search Limits.
-  This option opens a window that allows you to Choose Browse Window Display Versions.
-  This option toggles the sort order of the Search Window Results Word List Box (between frequency and alphabetical modes)
-  This option toggles the option to display translated morphology codes in the Search Window Word List Boxes.
-  This option toggles the Analysis Window on and off.
-  This option toggles the display of translator notes and embedded note numbers in the Browse Window (for versions that have these features).
-  This option toggles the display of interlinear Morphology Codes in the Browse Window (for versions that support this feature).
-  This option opens up the Lexicon browser focused on the Dictionary part of the browser.
-  This option opens up the Morphology Code Assistant.

Configuring the Button Bar

You may want to configure the button bar to display the options that you use the most. To do this you can open the Button bar Configuration Window (see the button below). You can also change the position of buttons using this utility, but a quicker way is to hold down the ALT key and drag the button where you want it with the left mouse button down.

To make more extensive changes you can open up the Button Bar Configuration Window.

To do this either click on the  button or double-click on a blank space in the button bar.



.3

All Greek and Hebrew searches are done with vowel point and accent sensitivity turned off.

Ver	Command Line	Finds all verses with ...
KJV	gen 1:1	displays Genesis 1:1
KJV	gen 1 1	displays Genesis 1:1
KJV	gen 1:1-3	displays Genesis 1:1-3
KJV	mat 1	displays Matthew 1 (entire chapter)
KJV	5 3	displays chapter 5, verse 3 in current book
KJV	.jesus	containing the word Jesus
KJV	.jesus christ	containing both "jesus" AND "christ" anywhere in the verse in any order
KJV	/jesus christ	containing either "jesus" OR "christ"
KJV	.jesus !christ	the word "jesus" but NOT the word "christ"
KJV	'jesus christ	the phrase "jesus christ"
KJV	'christ jesus	the phrase "christ jesus"
KJV	.paul	the word "paul"
KJV	.paul barnabas	"paul" AND "barnabas"
KJV	/paul barnabas	either "paul" OR "barnabas"
KJV	.paul barnabas;5	"paul" AND "barnabas" within 5 verses of each other
KJV	.paul !barnabas	the word "paul" but NOT the word "barnabas"
KJV	.paul !barnabas;5	the word "paul" but NOT the word "barnabas" within 5 verses
KJV	(/paul saul).(barnabas)	either "paul" OR "saul" AND barnabas in the same verse
KJV	(/paul saul).5(barnabas)	either "paul" OR "saul" AND barnabas within 5 verses
KJV	(/Martha Mary).!(.Martha Mary)	either Mary OR Martha but NOT both (an exclusive OR search)
KJV	(christ).!(the christ).!(jesus)	Christ but neither "the Christ" nor Jesus
KJV	(.paul barnabas;2)/(.paul silas;3)	"paul" AND "barnabas" within 2 verses OR "paul" AND "silas" within 3 verses.
KJV	*dom of god	phrases like "wisdom of god", "kingdom of god", and so on
KJV	/*ite *ites	words ending in "...ite" or "...ites"
KJV	.*wom?n	words of the form "women", "woman", "bondwoman", and so on
KJV	(/grac* faith*).5(/law* work*)	a form of "grac..." OR "faith..." AND a form of "law..." OR "work..." within 5 verses
BNT	.*πιστ*	words containing the substring "πιστ" (138 forms found)
BNT	'πιστος ο λογος	words πιστος ο λογος ("faithful saying")
BNT	.παυλος βαρναβας	the words παυλος AND βαρναβας (nominative forms only)
BNT	.παυλ* βαρναβ*	words of the form παυλ... AND βαρναβ...
BNT	.παυλ* βαρναβ*;5	words of the form παυλ... AND βαρναβας... within 5 verses
BNT	.χριστ* ιησ*	words of the form χριστ* AND words of the form ιησ*
BNT	.χριστ* !ιησ*	words of the form χριστ* but NOT words of the form ιησ*

		form ιησ*
BNT	' ουκ * * ουδε	the words ουκ and ουδε with any two intervening words between
BNT	' ουκ *99 ουδε	the words ουκ and ουδε with any 99 or fewer words intervening
BNM	.πιστις χαρις	any form of πιστις and any form of χαρις. In Greek morphology searches, words which do not contain an "@" are assumed to have a wildcard "@" appended
BNM	.ιησους	any form of the lemma ιησους.
BNM	.ιησους χριστος	any form of the lemma ιησους AND any form of the lemma χριστος
BNM	.ιησους !χριστος	any form of the lemma ιησους but NOT any form of the lemma χριστος
BNM	/ιησους χριστος	any form of the lemma ιησους OR any form of the lemma χριστος
BNM	(/παυλος σαυλος).5(βαριναβας)	any forms of the lemmas παυλος OR σαυλος AND βαριναβας within 5 verses
BNM	'εν χριστος	the preposition εν followed by any form of the lemma χριστος
BNM	"@p* χριστος	any preposition followed by any form of the lemma χριστος
BNM	"@p* χριστος@na*	any preposition followed by an accusative form of the lemma χριστος
BNM	.*@v?y*	all pluperfect verb forms
BNM	"@d* *@n* και *@n*	all verses with article-noun-και-noun phrases
BNM	'καλος εργον	any form of the word καλος followed by any form of the word εργον
BNM	'καλος *5 εργον	any form of the word καλος followed by any form of the word εργον within five words
BNM	'καλος =gcn *5 εργον	a word καλος followed by a form of the word εργον within five words, with the two words agreeing in gender, case and number
BNM	;#1 *2 και *2 #1	all verses with και preceded and followed by the same lemma with the και 2 or less words from the lemma.
BNM	;#1@n* *2 και *2 #1@n*	all verses with και preceded and followed by the same noun lemma with the και 2 or less words from the noun.

BNM	'lo *@n* εμμ	occurrences of any noun followed by a form of εμμ but with no article preceding.
BNM	.α*@((nn) (a))*	any normal noun or adjective beginning with the letter α
BNM	.α*@&vi[ai]*	any indicative verb in the aorist or imperfect beginning with α
BNM	;o *@n* *@a* =gcn	any articular noun followed by an adjective agreeing in gender, case and number
BNM	;o *@n* *3 !o *@a* =gcn	any articular noun followed within 1 to 4 words by an anarthrous adjective agreeing in gender, case and number
WTT	ויאמר אלהימו	occurrences of the string ויאמר אלהימו (and God said) (Note that medial characters can be used in a search even to match corresponding final characters)
WTT	משה אהרן.	the forms משה AND אהרן
WTT	*משהו אהרן.	the word אהרן and NOT a word ending in משה ...
WTM	אמר אלהימו	any form of the lemma אמר followed by any form of the lemma אלהימו. For Hebrew morphology searches, words which do not contain an "@" (for Hebrew) or "%" (for Aramaic) are assumed to have a wildcard "@*" appended.
WTM	משה אהרן.	any form of the lemma משה AND any form of the lemma אהרן
WTM	אהרנו משה.	any form of the lemma משה but NOT containing any form of the lemma אהרן
WTM	(/ן). (כפר@vt* כפר@vp* חטא ע	any piel OR hithpael form of the stem כפר AND any form of the stem ען OR חטא
WTM	.כפר@vpi3ms*	the piel imperfect 3rd person singular of כפר
WTM	.כפר@vp?3ms*R{qx}	a 3rd person masculine singular piel form of the verb כפר in any aspect (tense), Qere and normal forms only.

Command Line Entry	Results After Pressing <Enter>
display all	displays all versions
display clear kjv bnt bnm	displays only kjv, bnt and bnm versions
display clear	remove all but the current search version
display kjv greek	add display of the kjv and all Greek versions
display german	add display of all German versions
display -kqv	remove the kjv from the current display
display kjv gnt	add the kjv and gnt to the current display

parallel kjv gnt bnm niv

l	removes all search limits
l mat	limits searches to the book of Matthew
l mat-rom	limits searches to Matthew through Romans
l nt	limits searches to the New Testament
l ot	limits searches to the Old Testament
l gosp	limits searches to the gospels ("gosp" being one of the existing "Predefined Ranges" (p. 240))
l rom 1-rom 2	limits searches to chapters 1 and 2 in the book of Romans
l 1jo 1	limits searches to the first chapter of 1 John
l heb 1:5-heb 1:8	limits searches to vv. 5, 6, 7, 8 of the first chapter of Hebrews
l heb 1:5-heb 2:10	limits searches from chapter 1:5 to chapter 2:10 of Hebrews
l mat 28:10-mar 1:10	limits searches from Matthew 28:10 to Mark 1:10
l luk; act	limits searches to Luke and Acts
l mat 5-7; jam	limits searches to the Sermon on the Mount and James
l mat 1:2-17; luk 3:23-38	limits searches to Jesus' birth narratives

Display=d, parallel=p, clear=c

GSE에 대한 검색 실례는 바이블웍스에서 제공하고 있는 검색 예들을 활용하겠습니다. GSE에서 open 명령을 사용하면, 불러올 수 있습니다.

: 김한원
: glosema@freechal.com
:
www.cyworld.com/verbum

: http://www.freechal.com/ 보장은 없습니다. ^L^
bibleworks 그러나 대체로 워크숍 뒤 1-2달 간은
커뮤니티에 꽤 많은 자료들이 올라와 관리를 열심히 하는 편입니다. 참고하
있지만, 질문한다고 금방 답변한다는 세요.